

OBITUARIES

- John Oubridge Mercer. *N Z J Med Lab Technol* 1972; 26(1): 13
- Davis Leigh. *N Z J Med Lab Technol* 1972; 26(2): 71.
- Harry Edwin Foster. *N Z J Med Lab Technol* 1972; 26(3): 117.
- E.L.F. Buxton. *N Z J Med Lab Technol* 1974; 28(2): 34.
- A. Fischman. *N Z J Med Lab Technol* 1976; 30(1): 38.
- Norman Joseph Ellison. *N Z J Med Lab Technol* 1977; 31(1): 23.
- M. Flack. *N Z J Med Lab Technol* 1978; 32(3): 114.
- W. Joyse. *N Z J Med Lab Technol* 1978; 32(3): 115.
- P.P. Lynch. *N Z J Med Lab Technol* 1978; 32(3): 115
- M.O. Ekdahl. *N Z J Med Lab Technol* 1978; 32(3): 115.
- Ivor Wendell Saunders. *N Z J Med Lab Technol* 1979; 33(1): 4.
- James Marr. *N Z J Med Lab Technol* 1979; 33(3): 71.
- James Alfred Samuel. *N Z J Med Lab Technol* 1980; 34(3): 90.
- Arthur Francis Bell. *N Z J Med Lab Technol* 1980; 34(3): 90.
- Dennis Francis Henry. *N Z J Med Lab Technol* 1982; 36(3): 77-78.
- Bruce Anthony Rae. *N Z J Med Lab Technol* 1982; 36(3): 107.
- Irene Allison Lindberg. *N Z J Med Lab Technol* 1983; 37(1): 23.
- Burnett (Bernie) Stevenson. *N Z J Med Lab Technol* 1984; 38(2): 61.
- Audrey Alexandra North (nee Prentice). *N Z J Med Lab Technol* 1985; 39(1): 31.
- Douglas Hastings "Stalky" Adamson. *N Z J Med Lab Technol* 1986; 40(3): 150.
- David Macdonald. *N Z J Med Lab Technol* 1986; 40(3): 150.
- Douglas Whillans. *N Z J Med Lab Technol* 1987; 41(3): 101.
- Gordon Roe George. *N Z J Med Lab Technol* 1988; 42(1): 25.
- Samuel Oswald Jarrett. *N Z J Med Lab Technol* 1988; 42(3): 98.
- Frederick Leonard Nevison Corey. *N Z J Med Lab Technol* 1988; 42(4): 148.
- Peter Bernard Booth. *N Z J Med Lab Technol* 1990; 44(3): 66.
- Christine Ellis. *N Z J Med Lab Sci* 1991; 45(3): 98.
- Georgina Skorepova. *N Z J Med Lab Sci* 1993; 47(4): 152.
- James Edward Le Grice. *N Z J Med Lab Sci* 1994; 48(1): 13-15.
- Gordon Wallace McKinley. *N Z J Med Lab Sci* 1994; 48(3): 131.
- Colin Watts *N Z J Med Lab Sci* 1994; 48(4): 182.
- Robert James Coleman. *N Z J Med Lab Sci* 1999; 53(2): 56.
- Karen Jane Hastie. *N Z J Med Lab Sci* 2000; 54(1): 37.
- Alan Forbes Harper. *N Z J Med Lab Sci* 2000; 54(2): 58.
- John Case. *N Z J Med Lab Sci* 2001; 55(2): 67.
- Alexander John Kirkland. *N Z J Med Lab Sci* 2002; 56(3): 16.
- Graham Lindsay Cameron. *N Z J Med Lab Sci* 2002; 56(3): 75.
- Hugh Grovenor Bloore. *N Z J Med Lab Sci* 2005; 59(3): 88.
- Rodney Terrence Kennedy. *N Z J Med Lab Sci* 2008; 62(3): 70-71.
- Barry Edwards. *N Z J Med Lab Sci* 2009; 63(1): 18-19.
- Robert (Bob) Allen. *N Z J Med Lab Sci* 2009; 63(1): 20.
- Marcella Margaret Jackson. *N Z J Med Lab Sci* 2009; 63(3): 98.
- Ian Douglas Robertson. *N Z J Med Lab Sci* 2014; 68(1): 37.
- Harry Edwin Hutchings. *N Z J Med Lab Sci* 2015; 69(3): 97.
- John Edwin Horner. *N Z J Med Lab Sci* 2018; 72(1): 31.
-

EDITORIALS

- Case J. Our journal – some changes. *N Z J Med Lab Technol* 1963; 17(1): 2-3.
- Allan RD. What of the future? *N Z J Med Lab Technol* 1963; 17(3): 80-82.
- Case J. A question of responsibility. *N Z J Med Lab Technol* 1964; 18(2): 50-51.
- Case J. Taking stock. *N Z J Med Lab Technol* 1965; 19(1): 3-4.
- Shott HCW. The training of laboratory technologists. *N Z J Med Lab Technol* 1965; 19(3): 103.
- Case J. Looking to the future. *N Z J Med Lab Technol* 1966; 20(1): 2.
- Case J. Living in the past. *N Z J Med Lab Technol* 1966; 20(2): 50.
- Case J. New brooms... *N Z J Med Lab Technol* 1966; 20(3): 110.
- Allan RD. Registration. *N Z J Med Lab Technol* 1971; 25(2):
- Allan RD. Anomalies. *N Z J Med Lab Technol* 1972; 26(1): 2.
- Allan RD. Reflections on registration. *N Z J Med Lab Technol* 1974; 28(2): 28-29.
- McLeod PR. A two-way street. A personal view on N.Z.I.M.L.T. membership. *N Z J Med Lab Technol* 1982; 36(4): 97-98.
- Dixon-Mclver D. Innovations. *N Z J Med Lab Technol* 1984; 38(1): 18.
- Anonymous. E.L.T. *N Z J Med Lab Technol* 1984; 38(4): 127-128.
- Siebers R. The Journal. *N Z J Med Lab Sci* 1994; 48(2): 56.
- Siebers R. Publishing in the Journal. *N Z J Med Lab Sci* 1994; 48(3): 133.
- Gainsford S. Laboratory technologist or scientist? *N Z J Med Lab Sci* 1994; 48(4): 159.
- Reilly D. The maintenance of laboratory professional standards programme (MOLS). *N Z J Med Lab Sci* 1995; 49(1): 3.
- Carr M. Tuberculosis: an ancient disease – a contemporary problem. *N Z J Med Lab Sci* 1995; 49(2): 75.
- Siebers R. Author or co-author? Guidelines and recommendations. *N Z J Med Lab Sci* 1995; 49(3): 115.
- Siebers R. The Journal – 50 years on. *N Z J Med Lab Sci* 1996; 50(1): 4-5.
- Siebers R. The TH Pullar Memorial Address. *N Z J Med Lab Sci* 1996; 50(2): 49.
- Clark J. Medical laboratory science education. Then, now, and in the future. *N Z J Med Lab Sci* 1996; 50(3): 87.
- Gainsford S. Medical laboratory technology – a regulated profession? *N Z J Med Lab Sci* 1997; 51(1): 3-4.
- Dellow W. Why should I contribute? *N Z J Med Lab Sci* 1997; 51(3): 88.
- Siebers R. Write me a (research) letter. *N Z J Med Lab Sci* 1998; 52(2): 44.
- Paterson A. “Have to” or “Want to”. Challenges for the 3rd millennium. *N Z J Med Lab Sci* 2000; 54(1): 16-18.
- Kendrick C. Registration, annual licensing/certification and ongoing competence. *N Z J Med Lab Sci* 2000; 54(2): 43.
- Siebers R. The why, how, and what of abstracts. *N Z J Med Lab Sci* 2000; 54(3): 82.
- Paterson A. Are surveys worthwhile? *N Z J Med Lab Sci* 2001; 55(1): 2.
- Siebers R. Publication of abstracts of the Annual Scientific Meeting of the NZIMLS. *N Z J Med Lab Sci* 2001; 55(3): 70.
- Mace T. Are we going cyclic? *N Z J Med Lab Sci* 2002; 56(2): 46.
- Siebers R. New Editorial Board. *N Z J Med Lab Sci* 2003; 57(3): 90.
- Siebers R, Thornton A. Geopolitical intrusion on editorial decisions. *N Z J Med Lab Sci* 2004; 58(1): 26.
- Siebers R. Prostate specific antigen: to screen or not to screen. *N Z J Med Lab Sci* 2004; 58(1): 70.
- Broadbent J. CPD programme update. *N Z J Med Lab Sci* 2005; 59(1): 2.
- Thornton A, Siebers R. The marriage between the Institute and the Journal: a diamond celebration. *N Z J Med Lab Sci* 2006; 60(1): 2.
- Kendrick C, Anderson R. The NZIMLS and the MLSB – who does what. *N Z J Med Lab Sci* 2006; 60(2): 46-47.
- Siebers R, Thornton A. A new Editorial Board, a new journal prize and a revamped journal questionnaire. *N Z J Med Lab Sci* 2007; 61(1): 3.
- Aitken J. Heigh-ho! Come to the fair! *N Z J Med Lab Sci* 2007; 61(3): 63-64.
- Siebers R. Authorship (and non-authorship) criteria and new author requirements. *N Z J Med Lab Sci* 2008; 62(1):
- Carnoutsos S. Are we the problem and is “Y” the answer? *N Z J Med Lab Sci* 2008; 62(2): 27-28.
- Siebers R. The Journal: electronic or print, or both? *N Z J Med Lab Sci* 2009; 63(1): 2.
- Siebers R. What happens to your article at the Journal? *N Z J Med Lab Sci* 2009; 63(3): 71.
- Ferris LL, Fletcher RH. Conflict of interest in peer-reviewed journals: the World Association of Medical Editors (WAME) position on a challenging problem. *N Z J Med Lab Sci* 2010; 64(1): 3-5. [Siebers R. Editor’s comments. *N Z J Med Lab Sci* 2010; 64(1): 5.]
- Beachey K, Hewett R. The role of the NZIMLS Council. “What we do” and “What you can do for us”. *N Z J Med Lab Sci* 2011; 65(1): 2-3.

Siebers R. Open access of the Journal. *N Z J Med Lab Sci* 2011; 65(1): 4.

Siebers R. Self-plagiarism and the scientific literature. *N Z J Med Lab Sci* 2012; 66(1): 3-4.

Taylor T, Siebers R. The internationalisation of the New Zealand Journal of Medical Laboratory Science. *N Z J Med Lab Sci* 2012; 66(2): 35.

Siebers R. New copyright policy for the Journal. *N Z J Med Lab Sci* 2013; 67(2): 38.

Siebers R, Taylor T. Authorship. *N Z J Med Lab Sci* 2013; 67(3): 75.

Siebers R, Taylor T. Plagiarism, self-plagiarism and the Journal. *N Z J Med Lab Sci* 2014; 68(1): 2.

Legge M. Dawn of the clinical scientist. *N Z J Med Lab Sci* 2014; 68(2): 43.

Siebers R. Dust mites in urine. *N Z J Med Lab Sci* 2014; 68(3): 83.

Broadbent J. Medical laboratory science registration and competence. *N Z J Med Lab Sci* 2015; 69(1): 3.

Hewett R. The Journal of the New Zealand Institute of Medical Laboratory Science: Is it tangible evidence of our profession and its valued contribution to our New Zealand community and healthcare?" A personal view. *N Z J Med Lab Sci* 2015; 69(2): 44.

Siebers R. The complete journal index (1946-2014). *N Z J Med Lab Sci* 2015; 69(2): 45-46.

Winker MA, Ferris LE. Promoting global health: World Association of Medical Editors position on editor's responsibility. *N Z J Med Lab Sci* 2015; 69(2): 48.

Siebers R, Bromhead C. Call for papers. Are there any clinical biochemists or transfusion medicine specialists out there? *N Z J Med Lab Sci* 2015; 69(3): 77.

Hewett R. Patient information, a sacred trust. *N Z J Med Lab Sci* 2017; 71(1): 3.

Siebers R. 70 years old and still alive? *N Z J Med Lab Sci* 2017; 71(1): 4.

Broadbent J, Siebers R. The Journal questionnaire – 10 years on. *N Z J Med Lab Sci* 2017; 71(1): 5.

Siebers R. Editorial code of conduct. *N Z J Med Lab Sci* 2017; 71(2): 30.

TH PULLAR MEMORIAL ADDRESS

Gunz FW. Cytogenetics. *N Z J Med Lab Technol* 1967; 21(3): 138-147.

Lynch PP. The development of diagnostic laboratory services in New Zealand. *N Z J Med Lab Technol* 1968; 22(3): 134-138.

Williams SE. Some perspectives in medical technology. *N Z J Med Lab Technol* 1969; 23(3): 97-104.

Markham NP. Changing habits of men and microbes. *N Z J Med Lab Technol* 1971; 25(1): 2-6.

Kenealy WL. Laboratory medicine. *N Z J Med Lab Technol* 1971; 25(3): 74-75.

Herdson PB. Education of medical laboratory technologists. *N Z J Med Lab Technol* 1972; 26(3): 90-93.

Stewart DT. Clinical pathology and its 'body politik'. *N Z J Med Lab Technol* 1973; 27(3): 82-85.

Hutchings HE. Medical technology education: where is it going? *N Z J Med Lab Technol* 1974; 28(3): 65-72.

Case J. A look towards the past...and a glimpse in levity towards the future. *N Z J Med Lab Technol* 1975; 29(3): 82-85.

Staveley JM. T.H. Pullar Memorial Address. *N Z J Med Lab Technol* 1976; 30(3): 82-83.

Philip DJ. Adaption or engineering? *N Z J Med Lab Technol* 1978; 32(1): 3-8.

Kennedy RT. Plotting a proper course. *N Z J Med Lab Technol* 1978; 32(3): 69-73.

Gill MB. Back from basics to the tea-lady. *N Z J Med Lab Technol* 1979; 33(3): 67-71.

Allan RD. The journal. *N Z J Med Lab Technol* 1980; 34(3): 71-74.

Main B. T.H. Pullar Memorial Address. *N Z J Med Lab Technol* 1985; 39(4): 148-149.

Nixon AD. T.H. Pullar Memorial Address. *N Z J Med Lab Technol* 1987; 41(4): 112-114.

Whitely J. T.H. Pullar Address. *N Z J Med Lab Technol* 1989; 43(2): 40, 43.

Philip DJ. T.H. Pullar Address. *N Z J Med Lab Technol* 1989; 43(4): 88-91.

Parker J. T.H. Pullar Address. *N Z J Med Lab Technol* 1990; 44(4): 109-110.

Mackenzie R. T.H. Pullar Memorial Address. *N Z J Med Lab Sci* 1992; 46(4): 153-155.

Edwards B. T.H. Pullar Memorial Address. *N Z J Med Lab Sci* 1994; 48(1): 40-41.

Wilson WJ. T.H. Pullar Memorial Address. *N Z J Med Lab Sci* 1994; 48(4): 184-185.

Eales MM. Going for gold. *N Z J Med Lab Sci* 1997; 51(1): 32-35.

Lynch M. Training for paradise. *N Z J Med Lab Sci* 1998; 52(1): 3-5.

Hewett R. Trends, technologies and medical laboratory scientist. *N Z J Med Lab Sci* 1999; 53(2): 39-45.

Aitken J. Deconstructing the laboratory. *N Z J Med Lab Sci* 2000; 54(1): 3-6.

McLeod P. Controlling change. *N Z J Med Lab Sci* 2000; 54(3): 94-97.

Anderson R. What makes athletes super? Medical laboratory science has many answers. *N Z J Med Lab Sci* 2002; 56(1): 2-5.

Gainsford SA. Symphony of science – 1st movement – regulation. *N Z J Med Lab Sci* 2002; 56(3): 82-84.

Siebers R. Outside, looking in. *N Z J Med Lab Sci* 2004; 58(1): 71-73.

Hickton CM. From the back of beyond. *N Z J Med Lab Sci* 2005; 59(3): 50-53.

Allen R. Echoes from the past, implications for the future. *N Z J Med Lab Sci* 2006; 60(3): 87-91.

Reilly D. Stairway to science. *N Z J Med Lab Sci* 2007; 61(3): 84-85.

Taylor K. Finding Rumpelstiltskin by crossing the Southern Alps. *N Z J Med Lab Sci* 2008; 62(3): 54-55.

Kendrick C. Back to the future – are we headed there? *N Z J Med Lab Sci* 2009; 63(3): 72-74.

Pry C. Believe in yourself, and anything is possible. *N Z J Med Lab Sci* 2010; 64(3): 67-68.

Fraser R. Pathology: The study of structure and function in health and diseases. *N Z J Med Lab Sci* 2012; 66(3): 67-69.

Mikkelsen D. Laboratory errors and accountability. *N Z J Med Lab Sci* 2013; 67(3): 114-115.

Dempster A. Looking forward with hindsight. *N Z J Med Lab Sci* 2014; 68(3): 94-97.

Perry H. The value of people: taking charge of our destiny. *N Z J Med Lab Sci* 2015; 69(3): 78-80.

Cole R. The empowering impact of quality systems. *N Z J Med Lab Sci* 2016; 70(3): 89-90.

Broadbent J. Bringing home the America's Cup. *N Z J Med Lab Sci* 2017; 71(3): 80-82.

Beechey K. Show your true colours: values in the workplace. *N Z J Med Lab Sci* 2018; 72(2): 85-88.

MICROBIOLOGY, VIROLOGY, AND PARASITOLOGY

Creed DF. A cultivation method for the differentiation of the ova of hookworm and strongyloides. *J N Z Assoc Bact* 1946; 1(1): 2-3.

Peddie JJG. Primary isolation of *Br. abortis* from milk. *J N Z Assoc Bact* 1946; 1(1): 4-5.

Eccersall LG. The isolation of *Cl. tetani* from talcum powder. *J N Z Assoc Bact* 1946; 1(2): 10-16.

Adamson DH. Amoebiasis. *J N Z Assoc Bact* 1946; 1(2): 17.

Fastier LB. Hydatid disease. *J N Z Assoc Bact* 1946; 1(3): 28-30.

Eccersall LG. Morphological variation in *Salmonella aertrycke* due to the effect of penicillin. *J N Z Assoc Bact* 1946; 1(3): 30-32.

Saunders IW. The use of fluorescence microscopy in the examination of sputum for *M. tuberculosis* – a preliminary report. *J N Z Assoc Bact* 1946; 1(3): 35.

McKinley GW. Laboratory aids in the diagnosis and progress of tuberculosis. *J N Z Assoc Bact* 1947; 1(4): 42-48.

Taylor MA. Staphylococci in inducing growth of *H. influenza*. *J N Z Assoc Bact* 1947; 1(4): 48.

Murphy AM. The use of Clauberg's medium in the routine diagnosis of *C. diptheriae*. *J N Z Assoc Bact* 1947; 2(2): 15-19.

Curtis PH. An improved procedure for the digestion of sputa in the concentration of tubercle bacilli. *J N Z Assoc Bact* 1947; 2(2): 22-23.

Somerville MG. Industrial microbiology. *J N Z Assoc Bact* 1947; 2(3): 31-33.

Murphy AM. A history of the classification of the Streptococci. *J N Z Assoc Bact* 1948; 3(1): 1-18.

Somerville MG. Industrial microbiology (Part 2). *J N Z Assoc Bact* 1948; 3(1): 21-22.

Callaghan J. An atypical member of the Salmonella group. *J N Z Assoc Bact* 1948; 3(2): 27.

Scott ID. Use of chloral hydrate in culture media. *J N Z Assoc Bact* 1948; 3(2): 28-31.

Creed DF. Some practical notes of interest. *J N Z Assoc Bact* 1948; 3(2): 31-34.

Bennett AL, Adamson DH. Laboratory procedures in the Kaikoura typhoid epidemic. *J N Z Assoc Bact* 1948; 3(3): 37-44.

Josland SW. The identification of Salmonella with special reference to serological methods. *J N Z Assoc Bact* 1948; 3(4): 51-54.

Josland SW. A note on the use of hydroquinone enrichment media for the isolation of Salmonella. *J N Z Assoc Bact* 1949; 4(1): 5-9.

Adamson DH. Amoebiasis contracted in New Zealand. *J N Z Assoc Bact* 1949; 4(1): 10-11.

Pierard J. Report of a case of Kala azar. *J N Z Assoc Bact* 1949; 4(1): 11-12.

Josland SW. The identification of *S. bovis* morificans infection in New Zealand. *J N Z Assoc Bact* 1949; 4(3): 34-35.

Rush-Munro FM. The quantitative estimation of deposits in urine. *J N Z Assoc Bact* 1949; 4(3): 46-47.

Pullar TH. B.C.G. vaccination. *J N Z Assoc Bact* 1950; 5(1): 1-8.

Callaghan JR. Laboratory findings in enteric fever caused by *S. paratyphi* A. *J N Z Assoc Bact* 1950; 5(1): 9-14.

Samuel AJ. The elusive tubercle bacilli. *J N Z Assoc Bact* 1950; 5(2): 25-34.

Scott ID. Staphylocoagulase. *J N Z Assoc Bact* 1950; 5(3): 46-51.

Reynolds L. The isolation and determination of sensitivity to streptomycin of *Mycobacterium tuberculosis*. *J N Z Assoc Bact* 1950; 5(4): 61-70.

Calaghan JR. Isolation of intestinal pathogens. *J N Z Assoc Bact* 1951; 6(1): 10.

Curtis PH. The routine use of penicillinase. *J N Z Assoc Bact* 1951; 6(3): 37-39.

George G. Amoebic pericarditis. *J N Z Assoc Bact* 1951; 6(3): 45-46.

di Menna ME. The routine identification of *Candida (monilia) albicans*. *J N Z Assoc Bact* 1952; 7(1): 1-4.

Saunders IW. Non-pathogenic acid fast bacilla. *J N Z Assoc Bact* 1952; 7(1): 5-12.

Rush-Munro FM. Isolation of intestinal pathogens. *J N Z Assoc Bact* 1952; 7(1): 17.

Adamson DH. Technical hints. *J N Z Assoc Bact* 1952; 7(1): 21.

Josland SW. A further note on the serological identification of Salmonella cultures. *J N Z Assoc Bact* 1952; 7(2): 31-34.

Josland SW. The identification of *Salmonella saint paul* in New Zealand. *J N Z Assoc Bact* 1953; 8(1): 3-5.

Murphy AM. Some recent advances in poliomyelitis research. *J N Z Assoc Bact* 1953; 8(1): 9-11.

Rush-Munro FM. Isolation of intestinal pathogens. *J N Z Assoc Bact* 1953; 8(1): 13-14.

Josland SW. The identification of *Salmonella senftenberg* in New Zealand. *J N Z Assoc Bact* 1953; 8(2): 22-24.

Samuel JA. Some experiences with *Leptospira*. *J N Z Assoc Bact* 1953; 8(2): 28-32.

Crozier MN. Physiological aspects of some bacteria isolated from clover roots. *J N Z Assoc Bact* 1953; 8(3): 38-43.

Fastier LB. Immunity in virus disease. *J N Z Assoc Bact* 1953; 8(3): 44-47.

Samuel JA. Some developments in laboratory diagnosis of T.B. *J N Z Assoc Bact* 1954; 8(1): 1-8.

Grey JM. Penicillin 1928-1945. *J N Z Assoc Bact* 1954; 8(1): 9-11.

Meads GDC. Appendicitis complicating *Shigella sonnei*. *J N Z Assoc Bact* 1954; 9(1): 11-12.

Connolly JT. Isolations of intestinal pathogens. *J N Z Assoc Bact* 1954; 9(1): 16-17.

Murphy AM. The growth of poliomyelitis viruses in tissue culture. *J N Z Assoc Bact* 1954; 9(2): 30-35.

Jamieson S. Some diseases of animals communicable to man. *J N Z Assoc Bact* 1954; 9(3): 44-52.

Walsh JP. A comparison of two types of culture medium for the growth of *M. tuberculosis*. *J N Z Assoc Bact* 1955; 10(1): 2-5.

Anonymous. Poliomyelitis immunization. *J N Z Assoc Bact* 1955; 10(2): 13-16.

Whillans D. Water as a source of infection. *J N Z Assoc Bact* 1955; 10(2): 25-32.

Grey J. Meningitis caused by *Leptospira pomona*. *J N Z Assoc Bact* 1955; 10(2): 33-35.

Fraser IEB, Mulcock AP. Pigment production by a strain of *Pseudomonas aeruginosa* isolated from the fleece of sheep. *J N Z Assoc Bact* 1956; 11(1): 2-7.

Adamson DH. The uncontrolled use of the antibiotics. *J N Z Assoc Bact* 1956; 11(1): 8-12.

Mclean B. Viruses genes and enzymes. *J N Z Assoc Bact* 1956; 11(2): 54-57.

Sorensen J. Staphylococcal phage typing. *J N Z Assoc Bact* 1956; 11(3): 64-66.

George GR. Simplified sulphonamide sensitivity tests. *J N Z Assoc Bact* 1956; 11(3): 72.

Murphy AM. Laboratory diagnosis of virus diseases. *J N Z Assoc Bact* 1957; 12(1): 14-15.

Walsh JP. Infestation with the Chinese liver fluke. *J N Z Assoc Bact* 1957; 12(1): 16.

Sorensen J. Methods for isolation of pathogenic Staphylococci from various sources. *J N Z Assoc Bact* 1957; 12(2): 34-37.

Kershaw FC, Morgan JDR, Shott HCW. A reliable method of anaerobiosis. *J N Z Assoc Bact* 1957; 12(2): 38-41.

Saunders IW. Notes on CO₂ dependent Staphylococci. *J N Z Assoc Bact* 1957; 12(2): 42-45.

Maitland J. Pasteurization of milk. *J N Z Assoc Bact* 1957; 12(3): 58-63.

Kershaw FC. A further note on infestation with the Chinese liver fluke. *J N Z Assoc Bact* 1957; 12(3): 74.

Adamson DH. The uncontrolled use of antibiotics II. *J N Z Assoc Bact* 1957; 12(3): 75-77.

Barrington RW. The finding of *Mimeae* in routine laboratory work. *J N Z Assoc Bact* 1958; 13(1): 14-16.

Shott HCW. A routine method of testing sensitivity to antibiotics. *J N Z Assoc Bact* 1958; 13(1): 17-19.

King IC. The coagulase phenomenon. *J N Z Assoc Bact* 1958; 13(1): 20-22.

Shott HCW. Sulphonamide sensitivity tests with special reference to the sterilization of horse blood. *J N Z Assoc Bact* 1958; 13(2): 34-36.

Mann JC. A *Pasteurella septica* infection from a cat bite. *J N Z Assoc Bact* 1958; 13(2): 37-39.

Jenkin RM. Report on an incident of bacterial food poisoning. *J N Z Assoc Bact* 1958; 13(3): 77-80.

Knights HT. Air hygiene in the hospital environment: its measurement and importance. *J N Z Assoc Bact* 1958; 13(3): 12-18.

Lynch MJ. D-Cycloserine, a new antitubercular drug. *J N Z Assoc Bact* 1959; 14(2): 39-44.

Adamson DH. A method of concentrating hydatid hooklets. *J N Z Assoc Bact* 1959; 14(2): 44-45.

Main BW. An incident of food poisoning caused by heat resistant *Clostridium welchii*. *J N Z Assoc Bact* 1959; 14(2): 50-52.

Aitken RTD. Staphylococcus toxins and the commercial production of toxoid. *J N Z Assoc Bact* 1959; 14(3): 66-74.

White AJ. Aspects of water bacteriology. *J N Z Assoc Bact* 1959; 14(3): 74-81.

Shepherd CS. Identification of *Salmonella braenderup* in New Zealand. *J N Z Assoc Bact* 1959; 14(3): 82-83.

Ellen RE. Virus diagnostic procedures. *J N Z Assoc Bact* 1960; 15(3): 58-62.

James KR. A brief outline of the nature and discovery of bacteriophage. *J N Z Assoc Bact* 1960; 15(3): 63-65, 70.

White SW. Agar. *J N Z Assoc Bact* 1960; 15(3): 66-70.

King IC. A method of preserving and mounting parasitic ova from the faeces. *J N Z Inst Med Lab Technol* 1961; 15(4): 81-82.

Lockwood BM. The Gram stain. *J N Z Inst Med Lab Technol* 1961; 15(5): 95-103.

Knights HT. The preservation of bacterial cultures for demonstration. *J N Z Inst Med Lab Technol* 1961; 15(5): 104-105.

Holland J. Report on a case of listeria meningitis. 1961; *J N Z Inst Med Lab Technol* 15(6): 118-121.

Miller TE. Isolation of *Pasteurella multocida* from sputum. *N Z J Med Lab Technol* 1963; 17(2): 83-86.

Knights HT. A further modification of the impression plate technique in the bacteriological examination of surfaces. *N Z J Med Lab Technol* 1963; 17(2): 87-91.

Lowes RE. *Pasteurella multocida* in sputum [Letter]. *N Z J Med Lab Technol* 1964; 18(1): 32.

Curtis PH. The problem of the collection of the midstream urine. *N Z J Med Lab Technol* 1964; 18(2): 69-71.

Callow CM. The isolation of *Staphylococcus aureus* using Polymixin B sulphate medium. *N Z J Med Lab Technol* 1965; 19(1): 4-9.

Adamson DH. A further note on the concentration of hydatid hooklets. *N Z J Med Lab Technol* 1965; 19(1): 13.

McCarthy MD. The recovery of parasites from faeces using the formal-ether method in a group of overseas students. *N Z J Med Lab Technol* 1965; 19(3): 109-110.

Rush-Munro FM. *Allescheria boydii* (*Monosporium apiospermum*) associated with cases of otomycosis in New Zealand. *N Z J Med Lab Technol* 1966; 20(1): 3-9.

Bott GR. Isolation of Nocardia asteroids from two sputum specimens. *N Z J Med Lab Technol* 1966; 20(1): 23-24.

Hill GJ. Some aspects of antibiotic testing. *N Z J Med Lab Technol* 1966; 20(2): 70.

McCarthy MD. The use of xylose lysine desoxycholate agar as a medium for the isolation of intestinal pathogens. *N Z J Med Lab Technol* 1966; 20(3): 127-131.

Cleaver J. An investigation of possible antibacterial effects in bacteriological swabs. *N Z J Med Lab Technol* 1967; 21(1): 3-11.

Bowen S. The history of Staphylococci in cross infection. *N Z J Med Lab Technol* 1967; 21(1): 12-17.

Rush-Munro FM. The recognition of *Trychophyton rubrum*. *N Z J Med Lab Technol* 1967; 21(1): 24-31.

Rush-Munro FM. *Candida albicans* and nystatin. *N Z J Med Lab Technol* 1967; 21(3): 148-154.

Felmingham CE. Anaerobic culture and plastic petri dishes. *N Z J Med Lab Technol* 1967; 21(3): 171.

Dawkins BF, Holland JT. A comparison of two methods for the isolation of *Salmonellae* from a sewage purification plant. *N Z J Med Lab Technol* 1968; 22(1): 6-9.

Boddy KH. The routine bacteriological examination of urine specimens. *N Z J Med Lab Technol* 1968; 22(1): 10-17.

Glen-Killeen M. The eradication of diphtheria as a major infectious disease. *N Z J Med Lab Technol* 1968; 22(1): 27-30.

Pearson R. Staining *Brucella* organisms. *N Z J Med Lab Technol* 1968; 22(1): 31.

Lot F. Scientists at the Pasteur Institute discover that a *Vibrio* purifies polluted waters. *N Z J Med Lab Technol* 1968; 22(1): 34-36.

Histed JR, Taylor DEM. A method of determining the effectiveness of and comparing surface active antiseptics. *N Z J Med Lab Technol* 1968; 22(2): 84-87.

Sowden RC. Two cases of listeriosis – probably acquired in utero. *N Z J Med Lab Technol* 1968; 22(3): 139-141.

Shott HCW. Semi-automation as an accurate and economic approach to sensitivity testing. *N Z J Med Lab Technol* 1968; 22(3): 142-148.

Howell AC. Disinfectant testing. *N Z J Med Lab Technol* 1968; 22(3): 161-162.

Howell AC. Use of the Kelsey capacity test for disinfectant evaluation. *N Z J Med Lab Technol* 1969; 23(1): 16-20.

Bolitho DG. Review of a bacteruria screening test. *N Z J Med Lab Technol* 1969; 23(2): 51-54.

Irvine DC, McCarthy MD. *Microsporium distortum* – a report of a further human isolation. *N Z J Med Lab Technol* 1969; 23(2): 61-64.

Bolitho DG. Semi-quantitative counts on urine specimens. *N Z J Med Lab Technol* 1969; 23(2): 65-66.

Baxter M, Pearson RD. The occurrence of *Microsporium nanum* as a human and animal pathogen in New Zealand. *N Z J Med Lab Technol* 1969; 23(3): 87-90.

Pearson RD. Sterilisation caps. *N Z J Med Lab Technol* 1969; 23(3): 117-118.

Harding S. *Pseudomonas aeruginosa*: isolation, identification and typing. *N Z J Med Lab Technol* 1970; 24(2): 50-56.

Bott GR. *Mycobacterium bovis*: methods of isolation and identification. *N Z J Med Lab Technol* 1970; 24(2): 65-68.

Cornere B, Wilkins A. The use of citrated blood for testing citrate utilization by microorganisms. *N Z J Med Lab Technol* 1970; 24(2): 123-124.

MacDiarmid HJ. Incubation of cultures in 5-10% CO₂. *N Z J Med Lab Technol* 1970; 24(2): 125-126.

Cornere BM. The incidence of house dust mites in Auckland. *N Z J Med Lab Technol* 1971; 25(1): 7-9.

Smith JMB. The dermatophytes. *N Z J Med Lab Technol* 1971; 25(1): 12-16.

Brosnan EA. *Clostridium sordellii* septicaemia. *N Z J Med Lab Technol* 1971; 25(2): 50.

Cornere BM. House dust mites. Culturing and extract preparation. *N Z J Med Lab Technol* 1971; 25(2): 54-55.

Gratten MJ, Cullens H, Schulze T. The occurrence of haemolytic non-group A Streptococci in human infections. *N Z J Med Lab Technol* 1971; 25(3): 87-89.

Winders GB. An interesting epidemiological exercise with *Microsporium distortum*. *N Z J Med Lab Technol* 1971; 25(3): 89-91.

Bolitho DG. A quality control system suitable for the smaller microbiological laboratory. *N Z J Med Lab Technol* 1971; 25(3): 92-97.

Harding SM, Cooper E. Antibiotic sensitivities of *Staphylococci*. *N Z J Med Lab Technol* 1972; 26(3): 94-97.

Wilson S. Species identification of *Klebsiella* isolated from sputa. *N Z J Med Lab Technol* 1972; 26(3): 110-112.

Dennis N. Identification of *Allescheria boydii* from a case of maduramycosis. *N Z J Med Lab Technol* 1972; 26(3): 114-115.

Blanchard BJ. A simple routine method for the culture and identification of human strains of *Mycoplasmataceae*. *N Z J Med Lab Technol* 1973; 27(1): 6-13.

Bell SM. Use and abuse of antibiotics. *N Z J Med Lab Technol* 1973; 27(1): 23-27.

Cameron GL, Brenton-Rule H. An unusual member of the genus *Bacillus* isolated from a blood culture. *N Z J Med Lab Technol* 1973; 27(1): 27-28.

Anderson MH. Bacterial flora of the gastro-intestinal tract of men: a review. *N Z J Med Lab Technol* 1973; 27(2): 42-45.

Cawley PFM. A review on the literature of *Vibrio parahaemolyticus* – its isolation and identification. *N Z J Med Lab Technol* 1973; 27(2): 46-49.

McCarthy MD. Biochemical and carbohydrate fermentation tests using the replication device. *N Z J Med Lab Technol* 1973; 27(2): 49-51.

Gratten MJ. Bagg broth and group D Streptococci. *N Z J Med Lab Technol* 1973; 27(2): 69.

Howe JV. The comparison of media for the isolation of *Salmonellae* and *Shigellae* from faeces. *N Z J Med Lab Technol* 1973; 27(3): 88-91.

Menzies R. A microdilution technique for minimum inhibitory concentrations. *N Z J Med Lab Technol* 1974; 28(1): 2-4.

Shott HCW. The laboratory diagnosis of respiratory infections other than T.B. *N Z J Med Lab Technol* 1974; 28(1): 12-14.

Cameron GL. An assessment of the Pathotec Rapid I-D system. *N Z J Med Lab Technol* 1974; 28(2): 43-46.

Till DG, Robinson RA. The National Institute culture collection. *N Z J Med Lab Technol* 1974; 28(3): 88-89.

Cornere B, Menzies R. A rapid microbiological assay for gentamycin. *N Z J Med Lab Technol* 1974; 28(3): 90-91.

Lockwood BM. Transferred drug resistance. *N Z J Med Lab Technol* 1974; 28(3): 94.

Woods GR. A rapid and simple method of serum gentamicin assay. *N Z J Med Lab Technol* 1975; 29(1): 27-29.

Bryan P. A case of leprosy. *N Z J Med Lab Technol* 1975; 29(1): 29-30.

Cornere B. A survey of techniques in anaerobic bacteriology. *N Z J Med Lab Technol* 1975; 29(3): 99-103.

Wood NG. A method for the evaluation of sputum. *N Z J Med Lab Technol* 1975; 29(3): 106.

Woodgyer AJ. A survey of *Pasteurella multocida* in the oral cavities of cats. *N Z J Med Lab Technol* 1976; 30(1): 6-10.

Cameron GL. The significance of an increased disc content on sulphonamide susceptibility tests of Gram-negative urinary tract infectors. *N Z J Med Lab Technol* 1976; 30(1): 10-13.

Sims KR. Diptheria in the Waikato. *N Z J Med Lab Technol* 1976; 30(1): 13-17.

Young S. Group B Streptococcal isolates during a three-year period. *N Z J Med Lab Technol* 1976; 30(1): 17-20.

Young S. Lancefield grouping of beta-haemolytic *Streptococci*. *N Z J Med Lab Technol* 1976; 30(1): 20.

Allred BJ. Yeast-like fungi other than *Candida albicans* in clinical specimens. *N Z J Med Lab Technol* 1976; 30(2): 44-47.

Garner J. Two isolations of methicillin resistant *Staphylococcus aureus*. *N Z J Med Lab Technol* 1976; 30(2): 48-49.

Menzies R, Cornere B. Effect of saline on survival of micro-organisms from bronchial aspirates. *N Z J Med Lab Technol* 1976; 30(2): 49-51.

Vaughan S. The sensitivity of *C. albicans* to 5-fluorocytosine. *N Z J Med Lab Technol* 1977; 31(1): 4-5.

Henwood DG. A beta-lactamase producing *Haemophilis influenzae* type A. *N Z J Med Lab Technol* 1977; 31(2): 36-38.

Coates AE, Cameron GL, Bremner DA. Comparison of the Minitek system with routine laboratory methods for the identification of *Enterobacteriaceae*. *N Z J Med Lab Technol* 1977; 31(3): 75-77.

Brady H. A case of tuberculous synovitis. *N Z J Med Lab Technol* 1978; 32(1): 8-10.

- Cursons RT, Brown TJ, Keys EA. Diagnosis and identification of the aetiological agents of primary amoebic meningo-encephalitis. *N Z J Med Lab Technol* 1978; 32(1): 11-14.
- Entwistle SW, Robertson DA. Lancefield streptococcal grouping using an autoclave. Pronase B extraction, counter-electrophoresis technique. *N Z J Med Lab Technol* 1978; 32(1): 28.
- Taylor HW, Rose GR. A computerised laboratory antibiotic sensitivity system. *N Z J Med Lab Technol* 1978; 32(2): 41-44.
- Fitchett J. *Candida parapsilosis* endocarditis: a case report. *N Z J Med Lab Technol* 1978; 32(2): 44-47.
- Lockwood BM. An in vitro comparison of the aminoglycosides gentamicin, tobramycin and amikasin by the disc diffusion method. *N Z J Med Lab Technol* 1978; 32(2): 47-48.
- Bragger JM, Heffernan HM. Antibiotic sensitivity discs. Are they reliable? *N Z J Med Lab Technol* 1978; 32(3): 73-79.
- Southern ALR. A review of gastroenteritis on Nauru. *N Z J Med Lab Technol* 1978; 32(3): 79-84.
- Brooks HJL, Chambers TL, Tabaqchali S. The incidence of *Serratia* species in clinical specimens. *N Z J Med Lab Technol* 1979; 33(1): 20-23.
- Donald JJ, Keys EA, Cursons RTM, Brown TJ. Chemotherapy of primary amoebic meningo-encephalitis (PAM). *N Z J Med Lab Technol* 1979; 33(1): 23-26.
- Gainsford S. A comparison of the modified rapid fermentation test and fluorescent antibody test for the identification of *Neisseria gonorrhoeae*. *N Z J Med Lab Technol* 1979; 33(2): 42-44.
- McCarthy MD. Evaluation of two inolex products for the identification of members of the family *Enterobacteriaceae*. *N Z J Med Lab Technol* 1979; 33(2): 44-47.
- Bingham MC, Rush-Munro FM. *Microsporium nanum* infection of the arm in a golfer. *N Z J Med Lab Technol* 1979; 33(2): 48-51.
- Hayden BJ. Suitability of commonly used enrichment broths and diluants for enumerating *Vibrio parahaemolyticus* – a review of current literature. *N Z J Med Lab Technol* 1979; 33(3): 82-84.
- Finlayson J. An unusual isolate. *N Z J Med Lab Technol* 1979; 33(3): 84-85.
- Tizzard J. L. Casei folate assay. *N Z J Med Lab Technol* 1979; 33(3): 85.
- Elmsley CJ, Donald JJ, Brown TJ, Keys EA. Chemotherapy of primary amoebic meningo-encephalitis (PAM) II. Miconazole and R41,400 (ketoconazole). *N Z J Med Lab Technol* 1980; 34(2): 37-43.
- Boreham PFL. Parasitic zoonoses in New Zealand. *N Z J Med Lab Technol* 1981; 35(2): 44-47.
- Paterson A. *Campylobacter* septicaemia. A case study. *N Z J Med Lab Technol* 1981; 35(2): 48-50.
- Bramley KP, Cornere BM. Halophilic *Vibrio* isolates from the ear. *N Z J Med Lab Technol* 1981; 35(2): 62-64.
- Menzies R. Characterisation of seven type cultures of anaerobic bacteria by gas liquid chromatography using methods and keys from the Center for Disease Control (Atlanta) Georgia and the Virginia Polytechnic Institute. A comparison. *N Z J Med Lab Technol* 1981; 35(3): 78-80.
- Chew TA. Gas-liquid chromatography in microbiology. *N Z J Med Lab Technol* 1982; 36(1): 8-11.
- Paltridge GP. Diagnosis of toxocara [Letter]. *N Z J Med Lab Technol* 1982; 36(1): 14
- Wynn M. *Trichomonas vaginalis* - a comparison of acridine orange stain and direct wet film examination. *N Z J Med Lab Technol* 1982; 36(2): 37.
- Heffernan HM, McLaughlan L, Smith AE. The quality of antibiotic susceptibility discs. *N Z J Med Lab Technol* 1982; 36(5): 112-114.
- Bridgewater P, Manning JD. Bacterial penetration of theatre linen. *N Z J Med Lab Technol* 1983; 37(1): 4-5.
- Bridgewater P, Manning JD. Environmental sampling in Wellington Hospital. *N Z J Med Lab Technol* 1983; 37(2): 32-34.
- McCarthy MD. *Bordetella pertussis*: a practical methodology for sampling, isolation and recovery of this organism. *N Z J Med Lab Technol* 1983; 37(3): 55-56.
- Smith JMB, Lockwood BM, van der Linden AJ. To what level should coagulase negative *Staphylococci* be routinely identified? *N Z J Med Lab Technol* 1984; 38(3): 78-81.
- Lang SDR, Beeching NJ. Contaminant or opportunist? *N Z J Med Lab Technol* 1984; 38(3): 91-95.
- Garner J, Parry S. Culture proven *Legionella pneumophili* pneumonia. *N Z J Med Lab Technol* 1984; 38(4): 120-121.
- Carter MJ. The detection of *Cryptosporidium* oocysts in faecal samples. *N Z J Med Lab Technol* 1984; 38(4): 122-123.
- McDonald R, Metcalfe RV, Bettelheim KA. Human leptospirosis in New Zealand. *N Z J Med Lab Technol* 1985; 39(2): 60-61.
- Lang SDR, Thomas MG. A comparison of the in vitro activity of ampicillin/sulbactam and amoxicillin/clavulanic acid. *N Z J Med Lab Technol* 1985; 39(3): 100-102.
- McCarthy MD. An evaluation of the Spectrum 10 series for the identification of Gram negative bacilli at 4 hours and 24 hours following inoculation. *N Z J Med Lab Technol* 1985; 39(3): 108-112.
- Chereschsky AY, Metcalfe RV, Bettelheim KA. Legionellosis in New Zealand. Four-and-a-half years experience in the serodiagnosis of this disease. *N Z J Med Lab Technol* 1985; 39(4): 149-152.
- Menzies R, Sloan C. Identification of *Haemophilus influenzae* from respiratory specimens. *N Z J Med Lab Technol* 1985; 39(4): 154-155.

Jones MR. Update on ceftazidime. *N Z J Med Lab Technol* 1985; 39(4): 167-168.

Bremner DR. The serum bactericidal assay. *N Z J Med Lab Technol* 1985; 39(4): 168-169.

Morris A. *Campylobacter pyloridis*: its history, characteristics and clinical relevance. *N Z J Med Lab Technol* 1985; 39(4): 169-170.

Lennon D, Hill R, Martin D, Newman J, Taylor R. Sore throat M types and post streptococcal sequelae, Auckland 1982-1985. *N Z J Med Lab Technol* 1985; 39(4): 170,177.

Martin D. Epidemiology typing – for whom is it a service? *N Z J Med Lab Technol* 1985; 39(4): 177.

Smith JMB, Lockwood BM. A two-year survey of *Bramhamella catarrhalis* in Dunedin Hospital. *N Z J Med Lab Technol* 1985; 39(4): 178.

Ellis-Pegler RB, Clark J, Downey D. *S. typhi* infection in adults. *N Z J Med Lab Technol* 1985; 39(4): 178.

Robertson D. Commercial swabs and transport medium [Letter]. *N Z J Med Lab Technol* 1985; 39(4): 185.

Sharma H. An interesting case of eosinophilic meningitis. *N Z J Med Lab Technol* 1986; 40(2): 59.

Gainsford SA, Frater E. Two cases of infection involving *Rhodococcus equi*. *N Z J Med Lab Technol* 1986; 40(3): 100-101.

Brett JL. Improved detection of acid-fast bacilli in clinical specimens using the phenol auramine stain. *N Z J Med Lab Technol* 1987; 41(3): 74-75.

Airlie WJ. A comparison of concentration techniques and selective media for the isolation of *Legionellae* from water samples. *N Z J Med Lab Technol* 1987; 41(4): 114-116.

Martin D. Methicillin-resistant *Staphylococcus aureus* in New Zealand. *N Z J Med Lab Technol* 1987; 41(4): 121-122.

Scrimgeour G. An outbreak of methicillin-resistant *Staphylococcus aureus* infection at Palmerston North Hospital. *N Z J Med Lab Technol* 1987; 41(4): 122-123.

Jones MR. An outbreak of methicillin-resistant *Staphylococcus aureus* in Wellington Hospital. *N Z J Med Lab Technol* 1987; 41(4): 123.

Menzies R, Cornere B, MacCulloch D. Cephalosporin susceptibility of methicillin-resistant coagulase-negative *Staphylococci*. *N Z J Med Lab Technol* 1987; 41(4): 124.

Cutten M, Roberts S, Lang S. Induction of resistance in Gram-negative bacilli by cefoxitin and imipenem to nine beta-lactam antibiotics, and correlation with mutation to resistance. *N Z J Med Lab Technol* 1987; 41(4): 124-125.

Morris A. Update on *Campylobacter pyloridis*. *N Z J Med Lab Technol* 1987; 41(4): 126-127.

Thomas SM, Crosson MC. "Same day service"? *N Z J Med Lab Technol* 1987; 41(4): 127.

Say PJ. "Warts and all". *N Z J Med Lab Technol* 1987; 41(4): 127-128.

Currie B. The 'in-vitro' susceptibility to sulbactam/ampicillin of aerobic and anaerobic clinical isolates. *N Z J Med Lab Technol* 1988; 42(1): 6-7.

Bilkey MK, Bremner DA, Cameron GL, Garner JG. Comparison of five commercial methods for the identification of non-fermentative and oxidase positive fermentative Gram negative bacilli. *N Z J Med Lab Technol* 1988; 42(1): 8-12.

Cursons R, Tonks H. Peritonitis due to *Staphylococcus epidermidis* – an epidemiological study. *N Z J Med Lab Technol* 1988; 42(4): 120-121.

Cameron GL, Bremner DA. Low bacterial counts in asymptomatic patients. *N Z J Med Lab Technol* 1989; 43(1): 10-11.

Dow GR, Greig DB. *Tinea nigra*: a New Zealand case report. *N Z J Med Lab Technol* 1989; 43(2): 97.

Allred BJ, Parr D. *Trichophyton soudanense* isolation in New Zealand – two case reports. *N Z J Med Lab Technol* 1990; 44(2): 56-57.

Okell RS, Wright JM. *Giardia lamblia* – an assessment from the eastern Bay of Plenty: September 1 1986 – September 30 1989. *N Z J Med Lab Technol* 1990; 44(3): 64-66.

Morris A, Ellis-Pegler RB. Current issues in the laboratory diagnosis of urinary tract infections. *N Z J Med Lab Technol* 1990; 44(3): 67-70.

Gainsford S. *Giardia lamblia* [Letter]. *N Z J Med Lab Technol* 1990; 44(4): 131.

McCarthy MD, Fenwick SG. Experiences with the diagnosis of *Yersinia enterocolitici* – an emerging gastrointestinal pathogen in the Auckland area, 1987-1989. *N Z J Med Lab Sci* 1991; 45(1): 19-22.

Walker NK, Wilson NA, Till GT. Giardiasis in New Zealand, results of a laboratory based survey. *N Z J Med Lab Sci* 1991; 45(2): 45-47.

Wright JM. *Vibrio vulnificus*: two case reports. *N Z J Med Lab Sci* 1991; 45(2): 55-56.

Brown TJ, Ionas G, Miller SJ, Tonks MC, Kelly PJ. New Zealand strains of *Giardia intestinalis* from humans: first isolations, culture and growth characteristics. *N Z J Med Lab Sci* 1992; 46(1): 7-10.

Chereshsky A, Martin DR. Evaluation of two commercial assays used in screening sera from patients with suspected leptospirosis. *N Z J Med Lab Sci* 1992; 46(2): 56-58.

Gainsford SA, Woodgyer A, Young G. An evaluation of the Microring YT yeast identification system. *N Z J Med Lab Sci* 1992; 46(3): 92-92.

Brett SMY, Heffernan HM, Bowers SG. Evaluation of laboratory methods for the determination of methicillin susceptibility in New Zealand isolates of *Staphylococcus aureus*. *N Z J Med Lab Sci* 1993; 47(1): 7-10.

Jones LC, Pilgrim RLC. *Tunga penetrans* – an unwelcome immigrant. *N Z J Med Lab Sci* 1994; 48(4): 171-172. [Erratum in: *N Z J Med Lab Sci* 1995; 49(1): 10.]

Dougherty M. *Cucylospora cayetanensis*: an emerging intestinal pathogen in New Zealand. *N Z J Med Lab Sci* 1996; 50(1): 12-13.

Pottumarthy S, Morris AJ, Shore KP, Bremmer DA. Potential for clinically misleading results due to extended spectrum beta-lactamases. *N Z J Med Lab Sci* 1997; 51(1): 8-11.

Sarfati D, Bates MN, Garrett N, Baker MG, Featherstone D. Viral gastroenteritis testing capabilities of New Zealand clinical laboratories. *N Z J Med Lab Sci* 1997; 51(4): 125-127.

Jones LC. Trichostrongyliasis – a New Zealand case. *N Z J Med Lab Sci* 1997; 51(4): 128-129.

Clarkin A. *Salmonella* – not your average enteric pathogen. *N Z J Med Lab Sci* 1998; 52(2): 43-44.

Burriel AR. An evaluation of the 'mouse model' in the study of the virulence coagulase-negative Staphylococci isolated from sheep subclinical mastitis. *N Z J Med Lab Sci* 1998; 52(4): 90-94.

Castle JL. *Burkholderia cepacia*: a review of an environmental saprophyte as a human pathogen. *N Z J Med Lab Sci* 1999; 53(2): 49-56.

Chiang AH, Dowling JR, Morris AJ. Feasibility of pooling faecal specimens for detecting the presence of *Giardia* antigen by enzyme immunoassay (EIA). *N Z J Med Lab Sci* 1999; 53(3): 88-90.

Shewan J. A review of anaerobic microbiology at Health Waikato Laboratory. *N Z J Med Lab Sci* 2000; 54(3): 87-93.

Paltridge G. *Dientamoeba fragilis*. A review of a commonly detected yet poorly understood parasite of man. *N Z J Med Lab Sci* 2001; 55(2): 36-41.

Cole K, Mitchell DL, Leighton J, Aitken JM, Mackay JF. Determination of *Chlamydia trachomatis* prevalence in asymptomatic male military personnel in New Zealand: comparing performances of Cobas Amplicor and Abbott LCx Chlamydia detection systems for urine specimens. *N Z J Med Lab Sci* 2001; 55(3): 71-74.

Deroles-Main JR. Evaluation of two rapid tests for the detection of methicillin resistance in *Staphylococcus aureus*. *N Z J Med Lab Sci* 2002; 56(1): 18-22.

Evans GE. Application of a PCR method in a pilot study investigating *Chlamydia pneumoniae* in a CAP population. From the Waikato-Canterbury CAP study 1999-2000. *N Z J Med Lab Sci* 2002; 56(3): 54-61.

Smit M. A poxy threat. *N Z J Med Lab Sci* 2002; 56(3): 62-64.

Bennett J. Classical enteropathogenic *Escherichia coli* or atypical strains? Examination of shigatoxin negative, eaeA positive isolates received in the Enteric Reference Laboratory in 2000. *N Z J Med Lab Sci* 2003; 57(1): 2-7.

Grimwood K. Antibiotic treatment of *Pseudomonas aeruginosa* in cystic fibrosis: teaching an old model new tricks? *N Z J Med Lab Sci* 2003; 57(3): 98-110.

Young S. Human parvovirus B19: a review of the disease and diagnostic tools. *N Z J Med Lab Sci* 2004; 58(1): 2-8.

Thompson A. The implications of methicillin resistant *Staphylococcus aureus* and why we should keep it out of hospitals. *N Z J Med Lab Sci* 2004; 58(1): 49-56.

Bennett J. *Vibrio cholerae* in New Zealand. *N Z J Med Lab Sci* 2005; 59(1): 3-5.

Yee RW. Pathogenesis of *Neisseria meningitidis*: a review of current understanding. *N Z J Med Lab Sci* 2005; 59(3): 77-87.

Newton L. An unusual case of septicaemia. *N Z J Med Lab Sci* 2006; 60(2): 59-60.

Evans GE, Beynon KA, Chua A, Anderson TP, Werno AM, Jennings LC, Mai SKY, Murdoch DR. Comparison of real-time PCR with culture and EIA for the diagnosis of mucocutaneous infections with herpes simplex virus. *N Z J Med Lab Sci* 2006; 60(3): 92-96.

Stack KJ. Mycoses fungoides is not a fungal infection. *N Z J Med Lab Sci* 2006; 60(3): 99-101.

Nelson W, Harris B. Is chicken meat the most important source of human *Campylobacter* infection in New Zealand? *N Z J Med Lab Sci* 2007; 61(2): 36-41.

Baker M, Wilson N. Response to Nelson and Harris. *N Z J Med Lab Sci* 2007; 61(2): 42-43.

Baker M, Wilson N. Chicken meat is clearly the most important source of human *Campylobacter* in New Zealand. *N Z J Med Lab Sci* 2007; 61(2): 44-47.

Nelson W, Harris B. Response to Baker and Wilson. *N Z J Med Lab Sci* 2007; 61(2): 48.

Millar JR. The relationship between the use of apramycin in the poultry industry and the detection of gentamicin resistant *E. coli* in processed chickens. *N Z J Med Lab Sci* 2007; 61(3): 65-68.

Evans G. A review of molecular methods for medical microbiology testing. *N Z J Med Lab Sci* 2007; 61(3): 72-83.

Fadheel ZH, Perry HE, Henderson RA. Comparison of methicillin-resistant *Staphylococcus aureus* (MRSA) carriage rate in the general population with the health-worker population. *N Z J Med Lab Sci* 2008; 62(1): 4-6.

Omorieg R, Erebor JO, Ahonkhai I, Isibor JO, Ogefere HO. Observed changes in the prevalence of uropathogens in Benin City, Nigeria. *N Z J Med Lab Sci* 2008; 62(2): 29-31.

Omorieg R, Eghafona NO. Effect of urinary tract infection on the prevalence of anaemia among HIV patients in Benin City, Nigeria. *N Z J Med Lab Sci* 2009; 63(2): 44-46.

Lu J, Ding X. Evaluating the consistency of urinalysis results from the Urisys 1800 and microscopy. *N Z J Med Lab Sci* 2009; 63(3): 75-77.

Omorieg R, Igbarumah IO, Egbe CA, Ogefere HO, Ogbogu PI. Prevalence of extended spectrum β -lactamase among Gram-negative bacteria isolated from surgical wound and blood stream infections in Benin City, Nigeria. *N Z J Med Lab Sci* 2010; 64(3): 74-76.

Sobia F, Shahid M, Singh A, Khan HM, Shukla I, Malik A. Occurrence of *bla_{ampC}* in cefoxitin-resistant *Escherichia coli* and *Klebsiella pneumoniae* isolates from a North India tertiary care hospital. *N Z J Med Lab Sci* 2011; 65(1): 5-9.

Shahid M. β -lactams vs. β -lactamases – recent evolution of concurrent occurrence of multiple *bla* genes including *bla_{CTX-M}* and *bla_{ampC}*: an Indian scenario. *N Z J Med Lab Sci* 2011; 65(2): 42-54.

Horridge AD, Nulsen MF, Ikram R. An evaluation of laboratory methods for the diagnosis of toxigenic *Clostridium difficile* infection: enzyme immunoassays for glutamate dehydrogenase and toxins A and B, real time PCR (*tcdC* gene) and stool culture. *N Z J Med Lab Sci* 2011; 65(2): 55-59.

Sekikawa E, Vidicki MB, Bilkey MK. Comparison of two chromogenic media and conventional media in the primary isolation and identification of urinary tract pathogens. *N Z J Med Lab Sci* 2011; 65(3): 77-82.

Shahid M, Umesh, Sobia F, Singh A, Khan HM, Malik A, Shukla I. Molecular epidemiology of carbapenem-resistant *Enterobacteriaceae* from a North Indian tertiary hospital. *N Z J Med Lab Sci* 2012; 66(1): 5-7.

Sanghvi A, Addidle M, Grimwade K. Septic arthritis due to *Kingella kingae* in an adult patient. *N Z J Med Lab Sci* 2012; 66(2): 48-49.

Molan A. Laboratory detection of *Neisseria meningitidis* – a case report. *N Z J Med Lab Sci* 2012; 66(3): 78-80.

Bromhead C, Miller A, Jones M. *Neisseria gonorrhoea* testing in New Zealand, culture or PCR? *N Z J Med Lab Sci* 2013; 67(1): 4-6.

Molan A, Nulsen M, Thomas G. Methicillin-resistant *Staphylococcus aureus* (MRSA): isolation from nasal and throat swabs transported in liquid or semisolid media; identification by PCR compared with culture. *N Z J Med Lab Sci* 2013; 67(1): 8-16.

Stevens M. Culture, identification and susceptibility testing of *Clostridium difficile* from EIA toxin positive faecal samples. *N Z J Med Lab Sci* 2013; 67(1): 17-19.

Tibs C, Creighton J. A comparison of four chromogenic media and blood agar for the isolation and preliminary identification of *Streptococcus agalactiae* from vaginal swabs. *N Z J Med Lab Sci* 2013; 67(2): 52-55.

Creighton JA, Anderson TP. Case report of a methicillin and multi-resistant *mecA*-positive *Staphylococcus saprophyticus* and retrospective review of 2011-2012 isolates. *N Z J Med Lab Sci* 2013; 67(3): 104-108.

Shahid M, Khan HM, Sobia F, Singh A, Khan F, Shah MS, Shukla I, Malik A, Khan IM. Molecular epidemiology of various antibiotics resistance genes, including *bla_{NDM1}*, in Indian environmental and clinical bacterial isolates: a comparative study. *N Z J Med Lab Sci* 2014; 68(1): 9-14.

Harrington MG, Lopes RM, Hughes KA, Weaver JE, Parslow G, Eyles RF, Brooks HJL. Antibiotic resistance in thermotolerant *Campylobacter* isolated in 2000 and 2010 from patients with diarrhoea in Dunedin, New Zealand. *N Z J Med Lab Sci* 2014; 68(1): 15-18.

Creighton JA. Susceptibility testing of extended-spectrum- β -lactamase (ESBL)-producing *Enterobacteriaceae* against oral antimicrobials, including fosfomycin and mecillinam. *N Z J Med Lab Sci* 2014; 68(1): 19-23.

Sobia F, Uddin M, Shahid M, Khan HM. Characterisation of *Escherichia coli* and *Klebsiella pneumoniae* isolates for *bla_{ESBLs}*, *bla_{ampC}*, and *bla_{NDM-1}* from a north Indian tertiary hospital: a preliminary time trend study. *N Z J Med Lab Sci* 2014; 68(2): 44-51.

Nicol M, Nulsen M, Bromhead C. Prediction of antimicrobial resistance molecular detection of markers (PPNG, *gyrA*, Mosaic *penA*) in *Neisseria gonorrhoea* isolates from the New Zealand culture collection. *N Z J Med Lab Sci* 2014; 68(3): 84-86.

Schousboe MI, Aitken J, Welsh TJ. Increase in antibiotic-resistant *E. coli* in a major New Zealand river: comparison between 2004 and 2012. *N Z J Med Lab Sci* 2015; 69(1): 10-14. Erratum in *N Z J Med Lab Sci* 2015; 69(2): 60.

Creighton J. Comparison of BD Phoenix™ nitrocefin, a cefinase disk test and Phoenix MIC for the detection of hyper β -lactamase in *Staphylococcus saprophyticus*. *N Z J Med Lab Sci* 2015; 69(1): 16-20.

Egbe CA, Omoregie R, Alex-Ighodalo O. *Cryptococcus neoformans* infection among human immunodeficiency virus patients on highly active antiretroviral therapy in Benin City, Nigeria. *N Z J Med Lab Sci* 2015; 69(1): 21-23.

Sun M. A modified protocol for the direct identification of positive blood cultures by MALDI-TOF MS. *N Z J Med Lab Sci* 2015; 69(1): 28-29.

Gourley A, Nicol M. Rapid urea broth as an intermediate step in the identification of possible *Yersinia* spp. isolated from faecal specimens submitted for bacterial culture. *N Z J Med Lab Sci* 2015; 69(2): 50-52.

Ogbogu P, Omijie RE, Ogbogu MI. Lower respiratory tract infections among children attending a tertiary hospital in Benin City, Nigeria. *N Z J Med Lab Sci* 2015; 69(2): 53-57.

Creighton J, Jayawardena S. Comparison of four phenotypic tests, three biochemical tests and Cepheid Xpert™ Carba-R for detection of carbapenemase enzymes in Gram-negative bacteria. *N Z J Med Lab Sci* 2015; 69(3):

Busch R. Pantone-Valentine leukocidin-positive *Staphylococcus aureus*. A case study. *N Z J Med Lab Sci* 2015; 69(3): 94-96.

Donaldson A, Nicol M. Evaluation of Selenite F broth as an enrichment step for the isolation of *Salmonella* and *Shigella* in clinical faecal specimens – A retrospective study. *N Z J Med Lab Sci* 2016; 70(3): 92-94.

Creighton J, Wang H. Evaluation of CHROMagar™mSuperCARBA™ for the detection of carbapenemase-producing Gram-negative organisms. *N Z J Med Lab Sci* 2016; 70(3): 101-105.

Creighton J, Tibbs C. Evaluation of the MAST indirect carbapenemase test and comparison with a modified carbapenem inactivation method for the detection of carbapenemase enzymes in Gram-negative bacteria. *N Z J Med Lab Sci* 2017; 71(3): 136-140.

Thomas RR, Gaastra MLH, Brooks HJL. Shiga-(Vero-) toxigenic Escherichia coli: epidemiology, virulence and disease. *N Z J Med Lab Sci* 2018; 72: 3-10.

Ibadin EE, Omoregie R, Enabulele IO. Prevalence of extended spectrum β -lactamase, AmpC β -lactamase and metallo- β -lactamase enzymes among clinical isolates recovered from patients with urinary tract infections in Benin City, Nigeria. *N Z J Med Lab Sci* 2018; 72: 11-16.

Singh A, Khan HM, Shahid M. Co-occurrence of extended-spectrum and AmpC- β -lactamase-encoding genes in Enterobacteriaceae isolated from sewage and drinking water from North-India: analysing the genetic environment with special reference to insertion sequences, integrase, and integrons. *N Z J Med Lab Sci* 2018; 72: 44-52.

Elvy J. The important role of the clinical microbiology laboratory in the New Zealand Antimicrobial Resistance Action Plan and detection of carbapenemase-producing Enterobacteriaceae. *N Z J Med Lab Sci* 2018; 72: 98-106.

HAEMATOLOGY AND COAGULATION

Corsbie WC. The estimation of prothrombin with reference to Vitamin K and dicoumarin therapy. *J N Z Assoc Bact* 1946; 1(3): 20-27.

Cole IM. The prothrombin time in dicoumarol therapy. *J N Z Assoc Bact* 1949; 4(4): 42-45.

Ellison NJ. Mediterranean anaemia – Cooley's anaemia. *J N Z Assoc Bact* 1950; 5(4): 71-74.

Carter JH. The plasma cell. *J N Z Assoc Bact* 1951; 6(1): 2-4.

George G. Notes on blood counting. *J N Z Assoc Bact* 1952; 7(1): 20-21.

Meads GDC. Phenolised thromboplastin. *J N Z Assoc Bact* 1954; 9(1): 15.

Bridger RC. Leukaemia. *J N Z Assoc Bact* 1954; 9(2): 19-24.

Maitland JA. A case of monocytic leukaemia. *J N Z Assoc Bact* 1956; 11(2): 50-53.

McKenzie D. A case of chronic lymphatic leukaemia. *J N Z Assoc Bact* 1956; 11(3): 70-71.

Anonymous. Technique for cleaning haematological pipettes, etc. *J N Z Assoc Bact* 1957; 12(1): 17-18.

Kennedy R. The diagnosis of haemorrhagic disorders. Methods used at Auckland Hospital Central Laboratory. *J N Z Assoc Bact* 1957; 12(3): 64-68.

Buchanan M. Some technical aspects of the erythrocyte sedimentation rate in disease and health. *J N Z Assoc Bact* 1958; 13(1): 7-12.

Kennedy R. Diagnosis of haemorrhagic disorders II. *J N Z Assoc Bact* 1958; 13(1): 12-13.

Kennedy M. Uropepsinogen estimation as a further laboratory aid in the diagnosis of pernicious anaemia with an illustrative case. *J N Z Assoc Bact* 1958; 13(2): 43-44.

Moyle G. A micro method of estimating prothrombin in capillary blood. *J N Z Assoc Bact* 1958; 13(3): 8-9.

Kennedy R. A case of circulating anticoagulants. *J N Z Assoc Bact* 1958; 13(3): 10-11.

McKellar M. Recent advances in practical haematology. *J N Z Assoc Bact* 1959; 14(1): 19-28.

Briant RH. The determination of size and haemoglobin content of red cells. *J N Z Assoc Bact* 1959; 14(2): 34-38.

Harper MG. A case of infectious mononucleosis complicated by haemolytic anaemia. *J N Z Assoc Bact* 1960; 15(1): 2-7.

Miller TE. Haemoglobin and its estimation – a review. *J N Z Assoc Bact* 1960; 15(2): 18-26.

Barrington RW. Laboratory hint. *J N Z Assoc Bact* 1960; 15(3): 72.

Meads GDC. The leukocyte alkaline phosphatase. *J N Z Inst Med Lab Technol* 1961; 15(5): 106-113.

Hilder FM. Human saliva and blood coagulation. *J N Z Inst Med Lab Technol* 1962; 16(3): 54-55.

Curtis PH. An introduction to the Thrombotest. *N Z J Med Lab Technol* 1963; 17(1): 4-11.

Lowes RE. A rapid Romanowsky stain. *N Z J Med Lab Technol* 1963; 17(2): 54.

Montgomery JE. A comparison of methods for the estimation of the erythrocyte sedimentation rate. *J N Z Inst Med Lab Technol* 1964; 18(1): 25-31.

Eales MM. Guesswork in the reading of the erythrocyte sedimentation rate. *N Z J Med Lab Technol* 1965; 19(1): 10-12.

Sharrard A. An indirect micro test for L.E. cells. *N Z J Med Lab Technol* 1965; 19(2): 71-74.

Rae BA. A review of the Pelger-Huet anomaly, and presentation of three unrelated cases. *N Z J Med Lab Technol* 1966; 20(1): 10-18.

Main BW. L.E. phenomenon in anticoagulated blood: a case report. *N Z J Med Lab Technol* 1966; 20(3): 124-126.

Anderson M. Evaluation of Factor V assay methods. *N Z J Med Lab Technol* 1967; 21(2): 83-87.

Anderson M. The clinical application of Factor V assay in liver disease. *N Z J Med Lab Technol* 1967; 21(3): 155-163.

Wilson WJ. The preparation and properties of cryoprecipitate and its use in the control of haemorrhage in classical haemophilia. *N Z J Med Lab Technol* 1967; 21(3): 164-168.

Marr J. A protective lacquer for blood films. *N Z J Med Lab Technol* 1967; 21(3): 171-172.

Wilson WJ. Thromboplastin standardization. *N Z J Med Lab Technol* 1967; 21(3): 172-175.

Hight PL. A method of standardization of the E.E.L. haemoglobinometer. *N Z J Med Lab Technol* 1968; 22(2): 81-83.

Young BJ. The staining reaction of neutrophils. *N Z J Med Lab Technol* 1969; 23(1): 11-15.

Crickett DJ. Infectious mononucleosis complicated by acute haemolytic anaemia. *N Z J Med Lab Technol* 1972; 26(1): 25-26.

Main BW. Packed cell volume estimation. *N Z J Med Lab Technol* 1972; 26(1): 28.

Williams PJ. An assessment of experiences and problems encountered with the Coulter S. *N Z J Med Lab Technol* 1972; 26(2): 55-60.

Shepherd CS, Oudyn E. Partial thromboplastin kaolin time (PTTK) in children. *N Z J Med Lab Technol* 1973; 27(1): 28-30.

Marr G, Rozenberg MC. Neutrophil function tests. *N Z J Med Lab Technol* 1973; 27(2): 66-69.

Oudyn E. Normal haematological values in the Waikato, New Zealand. *N Z J Med Lab Technol* 1974; 28(2): 35-38.

Metcalf KR. A stromatolysing and cyanide reagent for use with the Coulter Counter Model S. *N Z J Med Lab Technol* 1974; 28(2): 51-52.

Rae BA. A reliable method for platelet adhesion. *N Z J Med Lab Technol* 1974; 28(3): 83-85.

Reid IG. Erythrocyte sedimentation rate; a comparison of two methods. *N Z J Med Lab Technol* 1974; 28(3): 85-88.

Dixon MW. A rack for Westergren ESR's. *N Z J Med Lab Technol* 1975; 29(1): 30.

Hoy B. An unusual case of macrocytic anaemia. *N Z J Med Lab Technol* 1975; 29(2): 65-67.

Pountney JA. G-6-PD deficiency: a case report. *N Z J Med Lab Technol* 1975; 29(3): 87-91.

White AE. The haemolytic anaemias – part I. *N Z J Med Lab Technol* 1975; 29(3): 91-95.

White AE. The haemolytic anaemias part 2. *N Z J Med Lab Technol* 1976; 30(1): 21-26.

Dent LC. A case of congenital "acute myeloblastic leukemia" in Down's syndrome. *N Z J Med Lab Technol* 1976; 30(1): 26-27.

Green BH. Report of a severe case of methaemoglobinaemia complicated by *Sonnei* dysentery. *N Z J Med Lab Technol* 1976; 30(2): 42-43.

Gregory B, Reid IG. Effect of storage time and temperature on some haematological parameters. *N Z J Med Lab Technol* 1976; 30(2): 54-56.

Giles L. Amniotic fluid embolism induced disseminated intravascular coagulation. *N Z J Med Lab Technol* 1976; 30(3): 90-92.

Main BW. A case of thrombotic thrombocytopenic purpura. *N Z J Med Lab Technol* 1977; 31(1): 3-4.

Perrow JG. The preparation of leucocyte homogenates for enzymatic assays. *N Z J Med Lab Technol* 1977; 31(1): 6-9.

Erickson GA. Particle counters and cold agglutinins. *N Z J Med Lab Technol* 1977; 31(1): 9-10.

McCullough J, Postlewaight BF. Technique for in vitro culture of haemopoietic cells. *N Z J Med Lab Technol* 1977; 31(2): 39-42.

McCullough J, Postlewaight BF. Serial bone marrow culture in ten patients with acute non-lymphoblastic leukaemia. *N Z J Med Lab Technol* 1978; 32(2): 52-55.

Shepherd CS. A simple 7 parameter haematology quality control blood. *N Z J Med Lab Technol* 1978; 32(2): 55-56.

Hokin BD. An investigation of the cause of artefactual atypical lymphocytes in routine haematological blood films. *N Z J Med Lab Technol* 1978; 32(2): 57-58.

Lowe TJ, Jones L. A case of platelet satellitism? *N Z J Med Lab Technol* 1978; 32(3): 87-90.

Taylor HW, Brown JD. The design of an on-line data acquisition system from the Coulter Model S. *N Z J Med Lab Technol* 1978; 32(3): 101-106.

Reid C. Pica. *N Z J Med Lab Technol* 1979; 33(1): 1-3.

Milichich GS. Two unrelated cases of Factor XII deficiency. *N Z J Med Lab Technol* 1979; 33(2): 40-42. [Erratum in: *N Z J Med Lab Technol* 1979; 33(3): 96].

Lucas JE. An unusual case of Hb-H disease. *N Z J Med Lab Technol* 1980; 34(2): 29-31.

Grant V. The thalassaemias. *N Z J Med Lab Technol* 1980; 34(2): 31-37.

Hill PJ. A preliminary evaluation of a micro-method for erythrocyte sedimentation rate. *N Z J Med Lab Technol* 1980; 34(3): 85-88.

Henry SM. The use of donor blood as a haematology control for the Coulter S. *N Z J Med Lab Technol* 1981; 35(1): 5-6.

Lowe T. Hb D (Punjab)/ β thalassaemia minor – a case report. *N Z J Med Lab Technol* 1981; 35(1): 7-8.

Goodman GT. A useful adaptation of the B-D Microtainer capillary collection system. *N Z J Med Lab Technol* 1981; 35(1): 26.

Lucas JE. A new eosinophil diluting fluid. *N Z J Med Lab Technol* 1981; 35(2): 53-54.

Milichich GS, Carter JM, Green GJ. Hereditary antithrombin III deficiency in pregnancy. *N Z J Med Lab Technol* 1982; 36(3): 55-57.

Postlewaight BF. A case of paroxysmal cold haemoglobinuria [Letter]. *N Z J Med Lab Technol* 1982; 36(3): 67.

Sexton S, McComb P. A case of hairy cell leukaemia. *N Z J Med Lab Technol* 1982; 36(5): 116-118.

Holmes RM, Lucas JE. Cytochemical stains as an aid to classical membrane marker tests. *N Z J Med Lab Technol* 1983; 37(1): 7-8.

Postlewaight BF. Serum and red cell folate assays. *N Z J Med Lab Technol* 1983; 37(2): 41.

Postlewaight BF, Rainbow L. Assay of serum vitamin B₁₂ and folate – a comparison of methods. *N Z J Med Lab Technol* 1983; 37(3): 52-54.

Postlewaight BF. Anion exchange microchromatography and electrophoretic techniques for haemoglobin-A₂ estimation. *N Z J Med Lab Technol* 1983; 37(3): 56-59.

Hill PJ. Lupus inhibitor: yes or no? *N Z J Med Lab Technol* 1984; 38(1): 4-6.

Millar BW. Neutrophil myeloperoxidase deficiency – is it significant? *N Z J Med Lab Technol* 1984; 38(2): 34-36.

Hickton CM. The laboratory diagnosis of hereditary disorders of platelet function. *N Z J Med Lab Technol* 1984; 38(2): 38-42.

Hallowes M, Postlewaight BF. An evaluation of solid-phase no boil radio-isotope assay kit for vitamin-B12 and folate. *N Z J Med Lab Technol* 1984; 38(2): 45-46.

Johns AS. The lupus anticoagulant – a review. *N Z J Med Lab Technol* 1985; 39(1): 4-7.

Postlewaight BF. Hereditary non-spherocytic haemolytic anaemia – a review. *N Z J Med Lab Technol* 1985; 39(1): 14-17.

Nelson J, Rutherford C. The application of cell marker studies to the classification of acute leukemia – the Auckland experience. *N Z J Med Lab Technol* 1985; 39(2): 56-59.

Hickton CM, Honeybone LM. Fibrin degradation products. An evaluation of a newly available commercial latex reagent. *N Z J Med Lab Technol* 1985; 39(2): 68.

Smith KF. SCAP – a survey of coagulation assay performance. *N Z J Med Lab Technol* 1985; 39(4): 152-154.

Hickton CM, Honeybone LM. The Echis ratio. A useful test in the diagnosis of vitamin K deficiency. *N Z J Med Lab Technol* 1986; 40(1): 9-10.

Brougham S, van der Loo H. Diamond-Blackfan syndrome. *N Z J Med Lab Technol* 1986; 40(2): 44-46.

Brosnan EA, Eales MM. The erythrocyte sedimentation rate (ESR) in pregnancy. *N Z J Med Lab Technol* 1990; 44(1): 4-6.

Rimmer LJ. N.Z. survey of coagulation assay performance (SCAP). *N Z J Med Lab Technol* 1990; 44(3): 87-90.

Pountney JA, Browne JR. Singlicate versus duplicate coagulation testing on the Roche Cobas Fibro. *N Z J Med Lab Technol* 1990; 44(4): 100-102.

Bluck R, Ramage C, Blacklock H. A reference range for the haematological changes of pregnancy. *N Z J Med Lab Technol* 1990; 44(4): 103-106.

Thompson AD. A reference range for mean platelet volume and platelets in normal pregnant women. *N Z J Med Lab Sci* 1991; 45(1): 14-15.

Khull S. Cold autoimmune haemolytic anaemia – a review. *N Z J Med Lab Sci* 1992; 46(2): 73-75.

Bluck R, Blacklock H. Haematology values in cord blood samples from normal babies. *N Z J Med Lab Sci* 1992; 46(4): 122-123.

Thomas N, Karpik A. An evaluation of the Diesse Diagnostica Ves-matic 20, an automated system for the determination of the erythrocyte sedimentation rate (E.S.R.) *N Z J Med Lab Sci* 1993; 47(2): 59-61.

Blacklock H, Bluck R. Findings of no racial differences in cord blood haematology parameters [Letter]. *N Z J Med Lab Sci* 1993; 47(3): 119.

Peters JW, Chambers BC. The use of the HemoCue in a routine haematology laboratory. *N Z J Med Lab Sci* 1994; 48(3): 118-119.

Peters JW. Complaints about the service offered by the coagulation laboratory. No money to purchase a new instrument – what shall we do? *N Z J Med Lab Sci* 1994; 48(4): 166-170.

Carter JM, Siebers RWL. Laboratory measurement of blood platelet volume. *N Z J Med Lab Sci* 1994; 48(4): 178-180.

Melrose W. A probable case of neonatal haemolytic anaemia caused by an unstable fetal haemoglobin. *N Z J Med Lab Sci* 1995; 49(1): 17-18.

Millar B. Haematological parameters in pregnant and non-pregnant Auckland females with low ferritin levels. *N Z J Med Lab Sci* 1995; 49(2): 76-79.

Harding RY. Immune thrombocytopenia. *N Z J Med Lab Sci* 1996; 50(1): 24-25.

Bunker A. Cyclic neutropenia – a case study. *N Z J Med Lab Sci* 1996; 50(2): 54-56.

Lun A, Kendrick C. Paroxysmal nocturnal haemoglobinuria – a review. *N Z J Med Lab Sci* 1997; 51(1): 5-7.

Baltov H. Irreversible serum gelatinization during striking eosinophilia, a case report. *N Z J Med Lab Sci* 1997; 51(2): 55.

Kelly K. Modified myeloperoxidase staining: an alternative to the Sudan Black stain. *N Z J Med Lab Sci* 1997; 51(4): 121-123.

Anastasi J, Kendrick C. von Willebrand's disease – a review. *N Z J Med Lab Sci* 1998; 52(3): 59-60.

Pennell G. Evaluation of specimen handling protocol for neutrophil alkaline phosphatase analysis. *N Z J Med Lab Sci* 1998; 52(4): 85-89.

Potluri K, Kendrick C. Thrombocytopenia – a review. *N Z J Med Lab Sci* 1999; 53(1): 5-7.

Thomson VCJ. An evaluation and comparison between blood film microscopy services in government hospital laboratories in the mid-western region of Nepal and the Waikato region in New Zealand. *N Z J Med Lab Sci* 2001; 55(2): 42-55.

Hill S, Hughes R, Crutch E, Phillips J, Carter J, Beasley R. D-dimer testing in the investigation of venous thromboembolism. *N Z J Med Lab Sci* 2002; 56(2): 57-62.

Allan KL, Patterson DM. Validation of a von Willebrand Factor – Factor VIII binding assay to characterise atypical phenotypes of apparent Haemophilia A. *N Z J Med Lab Sci* 2002; 56(3): 12-15.

Bunker A. Is latent iron deficiency as benign as once thought? *N Z J Med Lab Sci* 2003; 57(3): 91-97.

Evans S. Neonatal alloimmune thrombocytopenia: a review. *N Z J Med Lab Sci* 2004; 58(1): 74-82.

Taylor KA. Pseudothrombocytosis caused by white blood cell fragments. *N Z J Med Lab Sci* 2004; 58(1): 83-84.

Patterson DM, Sheen CR. Factor VIII binding assay – one year on. *N Z J Med Lab Sci* 2004; 58(1): 90.

Lock G, Kendrick C. Myelofibrosis with myeloid metaplasia. *N Z J Med Lab Sci* 2006; 60(1): 3-6.

Chotivanitch K, Silamut K, Day NPJ. Laboratory diagnosis of malaria infection – a short review of methods. *N Z J Med Lab Sci* 2007; 61(1): 4-7.

Holloway R. Sideroblastic anaemia secondary to chronic alcoholism: a case study and review. *N Z J Med Lab Sci* 2007; 61(3): 69-70.

Denholm A, Smith MP, Patterson DM. Accurate diagnosis of high-affinity vWF platelet disorders: a case study of pseudo von Willebrand disease. *N Z J Med Lab Sci* 2008; 62(1): 7-9.

Duncan JM. A retrospective review of homozygous haemoglobin E patients. *N Z J Med Lab Sci* 2008; 62(3): 61-62.

Khor YS. Evaluation of the immature reticulocyte fraction as an early indicator for bone marrow engraftment in patients treated with bone marrow/stem cell transplantation. *N Z J Med Lab Sci* 2008; 62(3): 63-69.

Povall A, Kendrick CJ. Estimated platelet and differential leucocyte counts by microscopy, Sysmex XE-2100 and CellaVision™ DM96. *N Z J Med Lab Sci* 2009; 63(1): 3-10.

Akinbo FO, Okaka CE, Omoregie R, Mordi R, Igbinenwen O. Prevalence of malaria and anaemia among HIV-infected patients in Benin City, Nigeria. *N Z J Med Lab Sci* 2009; 63(3): 78-80.

Penn R, Signorini H, Kendrick CJ. Comparison of the Siemens vWF:RCO activity assay and the HemosIL vWF activity assay for the diagnosis of von Willebrand disease. *N Z J Med Lab Sci* 2010; 64(2): 40-43.

Wu FFS, Chang CF, Wu MW, Pierson N, Siebers R. Prevalence of macrocytosis in patients with chronic obstructive pulmonary disease. *N Z J Med Lab Sci* 2010; 64(3): 86-87.

Cochrane EM, Beechey KJ. Validation of the “OTHERS” parameter on the Sysmex XE-2100 as a predictor for the presence of activated B-lymphocytes in the peripheral blood. *N Z J Med Lab Sci* 2010; 64(3): 88-89.

Lu J, Kendrick CJ. Reticulocyte counts in sports medicine. *N Z J Med Lab Sci* 2012; 66(2): 36-38.

Chambers B. Evaluation of the new red cell research parameters on the Sysmex XE-5000. *N Z J Med Lab Sci* 2012; 66(3): 70-72.

Agarwal R, Juneja S. Pitfalls in the diagnosis of haematological malignancies. *N Z J Med Lab Sci* 2013; 67(2): 39-44.

Dimitrova G, Bunkall C, Lim D, Kendrick C. Comparison of two methods for the diagnosis of chronic granulomatous disease – neutrophil oxidative burst measured by the nitroblue tetrazolium slide test versus the dihydrorhodamine 123 flow cytometric assay. *N Z J Med Lab Sci* 2013; 67(2): 45-51.

Lu J, Rodgers C. Eosinophilia in a patient with lung adenocarcinoma – a case study. *N Z J Med Lab Sci* 2013; 67(2): 56-57.

Ronayne C. Malaria and lupus anticoagulant: a case study and review. *N Z J Med Lab Sci* 2013; 67(3): 98-103.

Lippi G, Ippolito L. Interference of spurious hemolysis on prothrombin time, activated partial thromboplastin time, and fibrinogen. *N Z J Med Lab Sci* 2014; 68(2): 52-54.

Chan GTC, Lee SHS, Jones SDF. A simple functional assay for heparin-induced thrombocytopenia/thrombosis syndrome using a full blood count analyser. *N Z J Med Lab Sci* 2014; 68(2): 65-68.

Bakheet OSE, Yusof N, Wahid SFA, Aziz SA. Hodgkin and Reed-Sternberg cells in bone marrow aspirations of a patient with advanced Hodgkin lymphoma. *N Z J Med Lab Sci* 2015; 69(1): 24-27.

Bakheet OSE, Fun LC, Ithnin A, Wahid SFA. IgD-kappa multiple myeloma. Case report and brief review of the literature. *N Z J Med Lab Sci* 2016; 70(1): 8-11.

Wasif E. Is it time for Ristocetin to step down? Comparison study between a new automated von Willebrand factor activity assay and the von Willebrand factor ristocetin activity assay. *N Z J Med Lab Sci* 2016; 70(2): 30-40.

Sibanda N, Blacklock H, Zeng I, Kendrick C. *Helicobacter pylori* infection and the platelet count. *N Z J Med Lab Sci* 2016; 70(3): 96-100.

Hutin C, May S, Prestidge T. Juvenile myelomonocytic leukemia and Noonan syndrome. *N Z J Med Lab Sci* 2016; 70(3): 110-112.

Legner J, Phillips JK, Kendrick CJ. Evaluation of a single dimension gel electrophoresis with immunofixation, with and without heparin, for heparin binding site defect in antithrombin deficiency. *N Z J Med Lab Sci* 2017; 71(1): 7-10.

Ikuoyogie K, Ogefere HO, Omoregie R. The effect of anti-sulphonamide antibodies on blood cell counts of patients with malaria in Benin City, Nigeria. *N Z J Med Lab Sci* 2017; 71(2): 56-59.

Austin PM, McCarthy SM, Faiva-Thompson HT. Diffuse fine speckled (DFS70) antibody in ANA testing: identification and proposed management in a New Zealand tertiary hospital setting. *N Z J Med Lab Sci* 2017; 71(3): 113-119.

Poffenroth C, Mabbett C, Kendrick C. The reticulocyte haemoglobin equivalent (RET-He) and laboratory screening for iron deficiency. *N Z J Med Lab Sci* 2017; 71(3): 120-123.

Hill M, O’Toole R, Kendrick C. Resolution of early reaction errors (ERE) in haemostasis testing at Wellington SCL. *N Z J Med Lab Sci* 2017; 71(3): 129-135.

Al-Ryalat N, AlRyalat SA, Malkawi LW, Abu-Hassan H, Samara O, Hadidy A. The hematocrit to hemoglobin conversion factor: a cross-sectional study of its accuracy and applicability. *N Z J Med Lab Sci* 2018; 72: 18-21.

Adjekuko CO, Emokpae MA, Osadolor HB, Jeremiah ZA. Prevalence of thrombocytopenia among apparently healthy newborns in Delta State, Nigeria. *N Z J Med Lab Sci* 2018; 72: 54-56.

Pringle L. Methylene blue stained reticulocytes in a Giemsa blood film – a case study. *N Z J Med Lab Sci* 2018; 72: 66-68.

BIOCHEMISTRY

Brown JB, Cole IM. The estimation of protein in cerebrospinal fluid. *J N Z Assoc Bact* 1946; 1(3): 33-35.

Brown JB. Biochemical methods. Part 1. Blood and CSF. *J N Z Assoc Bact* 1947; 2(1): 5-8.

Brown JB. A modified method for the micro-estimation of blood sugar by the technique of Folin and Wu. *J N Z Assoc Bact* 1947; 2(2): 20-21.

Brown JB. Biochemical methods. Part 2. Urine, faeces and general. *J N Z Assoc Bact* 1948; 3(1): 19-21.

Brown JB. Liver function tests. *J N Z Assoc Bact* 1948; 3(2): 23-26.

Fischman A. Salivary analysis and thiocyanate estimation. *J N Z Assoc Bact* 1949; 4(2): 14-17.

Brown JB. Laboratory investigations for the assessment of adrenal cortical and gonadal function. *J N Z Assoc Bact* 1949; 4(3): 26-33.

Hutchings HE. Raised serum acid phosphatase due to haemolysed red cells in serum. *J N Z Assoc Bact* 1950; 5(2): 35-38.

Fischman A. Plasma viscosity. *J N Z Assoc Bact* 1950; 5(3): 52-55.

Hilder FM. A modified Somogyi diastase method. *J N Z Assoc Bact* 1950; 5(3): 55-57.

Jarratt SO. The value of hyla aurea throughout the year in pregnancy testing. *J N Z Assoc Bact* 1951; 6(2): 17-33.

Patterson RJ. Acute idiopathic porphyria. *J N Z Assoc Bact* 1952; 7(2): 35-43.

Scott ID. Laboratory diagnosis of infective hepatitis. *J N Z Assoc Bact* 1952; 7(3): 49-57.

Mattingly J. The nature of an unusual pigment in urine. *J N Z Assoc Bact* 1953; 8(2): 24-25.

Fischman A. Serum protein fractions. *J N Z Assoc Bact* 1954; 9(2): 25-29.

Davis GS. The creatinine clearance. An easily performed renal function test. *J N Z Assoc Bact* 1955; 10(2): 16-22.

Felmingham CE. A method for the rapid estimation of total cholesterol. *J N Z Assoc Bact* 1955; 10(2): 22-25.

Scott ID, Shepherd CSO. Serum cholesterol. A consideration of a large series of free, total and ester cholesterol estimations. *J N Z Assoc Bact* 1956; 11(2): 32-49.

Jones L. Biochemical estimations using micro quantities. *J N Z Assoc Bact* 1957; 12(1): 2-9.

Fischman A. Simple tests for gamma globulins including viscometry. *J N Z Assoc Bact* 1957; 12(2): 30-33.

Flemingham CE. The ubiquitous T.N.P.N. *J N Z Assoc Bact* 1957; 12(2): 46-49.

Eales M, Cannon JJ. Detection and differentiation of occult blood. *J N Z Assoc Bact* 1957; 12(3): 69-73.

Mattingly J. Paper chromatography in the hospital laboratory. *J N Z Assoc Bact* 1958; 13(2): 30-33.

Moss G. The importance of enzymes in hospital laboratory practice. *J N Z Assoc Bact* 1959; 14(1): 2-7.

Mattingly J. Transaminase and dehydrogenase estimations. *J N Z Assoc Bact* 1959; 14(2): 46-49.

Bloore HG. Acid-base metabolism. *J N Z Assoc Bact* 1960; 15(3): 50-57.

Kennedy R. A method of assaying heparin during extra-corporeal surgery. *J N Z Inst Med Lab Technol* 1961; 15(4): 74-77.

Miller TE. The effect of glucose on the estimation of total 17 OH. corticosteroids in urine. *J N Z Inst Med Lab Technol* 1961; 15(4): 78-80.

Miller TE. The effect of extraneous chromogen on the endogenous creatinine clearance. *J N Z Inst Med Lab Technol* 1961; 15(6): 122-131.

Miller TE. The laboratory diagnosis of phenylpyruvic oligophrenia (phenylketonuria). *J N Z Inst Med Lab Technol* 1962; 16(1): 2-7.

Forsyth AJ. Stabilization of the nitrogen/Nessler complex in blood urea estimations. *J N Z Inst Med Lab Technol* 1962; 16(1): 8-12.

Oldham J. The control of biochemical estimations. *J N Z Inst Med Lab Technol* 1962; 16(2): 31-33.

Clifton R. Some remarks on colour development in the estimation of inorganic phosphorus in serum. *J N Z Inst Med Lab Technol* 1962; 16(2): 34-36.

Metcalf MG. Yeast, glucose and steroids. *N Z J Med Lab Technol* 1963; 17(1): 12-14.

Dawkins BF. The use of an electroprecipitin test for thyroid antibodies in serum. *N Z J Med Lab Technol* 1963; 17(2): 40-46.

Dunkley JV. The estimation of serum sodium using the E.E.L. flame photometer. *N Z J Med Lab Technol* 1963; 17(3): 103-104.

Fletcher EK. Total serum cholesterol estimation. A review of literature – investigation of a current technique – several methods compared – study of a new method. *N Z J Med Lab Technol* 1964; 18(1): 9-18.

Grey MJ. Macroglobulinaemia – a new case. *N Z J Med Lab Technol* 1964; 18(1): 19-24.

McLean B, Symonds IH. The determination of serum calcium using the E.E.L. flame photometer. *N Z J Med Lab Technol* 1964; 18(2): 52-54.

Sentence J. Lithium sequestrine as an anticoagulant. *N Z J Med Lab Technol* 1964; 18(2): 61-65.

Felmingham CE. A simple apparatus for the estimation of alveolar $p\text{CO}_2$. *N Z J Med Lab Technol* 1964; 18(2): 66-68.

Brown TE. Lactate dehydrogenase and the applications of its estimation in the routine clinical laboratory. *N Z J Med Lab Technol* 1964; 18(3): 100-114.

Wilson AG. An improved colorimetric method for the estimation of lipase in serum using phenyl laurate as a substrate. *N Z J Med Lab Technol* 1964; 18(3): 119-122.

Ramsay A. Accuracy and quality control in clinical chemistry. *N Z J Med Lab Technol* 1964; 18(3): 125-129.

Ford MR. The estimation of 3 methoxy-4 hydroxy-mandelic acid (MHMA) as an aid to the diagnosis of pheochromocytoma. *N Z J Med Lab Technol* 1965; 19(1): 14-19.

McArthur DA. Serum urea micro-analysis: a convenient routine method. Reagent modifications in the ammonia-phenate-hypochlorite colour reaction. *N Z J Med Lab Technol* 1965; 19(2): 48-60.

Buchanan MJ. Uric acid in urine. A practical accurate method. *N Z J Med Lab Technol* 1965; 19(2): 61-65.

Pezaro DL. Rapid electrophoresis of serum proteins on agar-gel. Preliminary communication. *N Z J Med Lab Technol* 1965; 19(3): 104-107.

Fletcher EK. Laboratory screening for pheochromocytomas. *N Z J Med Lab Technol* 1965; 19(3): 111-115.

Bryant D. Review of blood sugar methods. *N Z J Med Lab Technol* 1966; 20(2): 52.

Bryant D. Intravenous glucose tolerance test. *N Z J Med Lab Technol* 1966; 20(2): 59.

Beggs WA. Fluorimetric estimation of phenylalanine. *N Z J Med Lab Technol* 1966; 20(2): 66.

Beggs WA. The rapid estimation of serum glucose with o-toluidine. *N Z J Med Lab Technol* 1966; 20(3): 111-120.

Melton LM. Quality control in clinical chemistry. *N Z J Med Lab Technol* 1967; 21(2): 66-77.

Cameron CW, Kitto JB. A modified aminophenazone procedure for the assay of alkaline phosphatase activity. *N Z J Med Lab Technol* 1967; 21(2): 78-82.

Allan RD. Screening for galactosaemia [Letter]. *N Z J Med Lab Technol* 1967; 21(2): 94-95.

Macduff DA. Aberrations in continuous-flow flame photometry. *N Z J Med Lab Technol* 1968; 22(1): 18-26.

Braidwood JL. Toxicological investigations and the laboratory. *N Z J Med Lab Technol* 1968; 22(1): 32-33.

Braidwood JL. The determination of free α -amino acid nitrogen concentration in biological fluids. A review of methods and a proposed "new" method. *N Z J Med Lab Technol* 1968; 22(2): 62-80.

Allan RD. Creatine phosphokinase. *N Z J Med Lab Technol* 1968; 22(2): 97-98.

McLaren G. Recommendations for standardized nomenclature in spectrometry, statistics and iso-enzymes. *N Z J Med Lab Technol* 1968; 22(3): 159-160.

Grey MJ. A modified procedure for the estimation of serum haptoglobins using Sephadex G-100. *N Z J Med Lab Technol* 1969; 23(1): 2-10.

Degn V, Hunter DT. The value of a background correction in the automated bilirubin determination. *N Z J Med Lab Technol* 1969; 23(2): 46-50.

McLaren GR. The simultaneous estimation of alkaline phosphatase and glutamic oxaloacetic transaminase by autoanalyzer. *N Z J Med Lab Technol* 1969; 23(2): 55-60.

Grey MJ. Electrophoresis of Hb A2 on cellulose acetate. *N Z J Med Lab Technol* 1969; 23(3): 78-86.

Lyon ICT. A simple method of hormonal iodine assay. *N Z J Med Lab Technol* 1969; 23(3): 91-96.

Everard DW. A simple, quick method for the estimation of total protein in serum. *N Z J Med Lab Technol* 1969; 23(3): 113-115.

Lewis TJ. Simple colorimetric method for serum calcium. *N Z J Med Lab Technol* 1969; 23(3): 115-117.

George GR. The expression of blood acid-base results. *N Z J Med Lab Technol* 1970; 24(1): 9-13.

Durney SA. A comparison of diagnostic tests for thyroid disorders. *N Z J Med Lab Technol* 1970; 24(2): 57-64.

Symonds IH. A method for the estimation of triiodothyronine (T3) resin uptake, using T_3I^{125} . *N Z J Med Lab Technol* 1970; 24(2): 69-72.

Buchanan AM. Anomalies in spectrophotometric methods for the iodometric estimation of serum amylase. *N Z J Med Lab Technol* 1970; 24(2): 73-74.

Rimmer GC. Automated estimation of pepsin using Technicon autoanalyser. *N Z J Med Lab Technol* 1970; 24(2): 74-76.

Olsen RE. Immunoglobulins: a review of immunological techniques and a routine procedure for detecting immunoglobulin deficiencies. *N Z J Med Lab Technol* 1970; 24(2): 109-115.

Killip M. A simplified method for the preparation of phosphomolybdic acid reagent for quantitative blood glucose by the Asator and King method. *N Z J Med Lab Technol* 1970; 24(2): 126-127.

McLaren B. The effective use of a two-channel auto-analyser system in a smaller laboratory. *N Z J Med Lab Technol* 1971; 25(2): 40-47.

Wilson AG. Plasma versus serum. *N Z J Med Lab Technol* 1971; 25(2): 49.

McLaren G. A lipid screening programme - interim report. *N Z J Med Lab Technol* 1971; 25(3): 80-81.

Woolhouse AD. Determination of total ketone bodies in urine. *N Z J Med Lab Technol* 1971; 25(3): 82-86.

Hannan J. Plasma versus serum. *N Z J Med Lab Technol* 1971; 25(3): 99.

Couchman KG. Rapid clearing of the autoanalyser flow cell. *N Z J Med Lab Technol* 1971; 25(3): 99.

Wilson AG. Quality control and fault finding in an automated laboratory. *N Z J Med Lab Technol* 1972; 26(1): 3-9.

Broad GG. Experience with a micro sodium electrode for the detection of cystic fibrosis. *N Z J Med Lab Technol* 1972; 26(1): 9-11.

Oudyn E. Quantitative determination of human haptoglobin by means of immunoelectrophoresis in an antibody-containing gel. *N Z J Med Lab Technol* 1972; 26(1): 16-18.

Newton JD. Variation in creatinine concentration in 24hr urine collections made in acid. *N Z J Med Lab Technol* 1972; 26(2): 67-68.

Wilson DM, Lever M. Improved fluorimetric determination of quinidine and quinine. *N Z J Med Lab Technol* 1972; 26(2): 70-71

Killip M. Experiences with a spectrophotometric method for the estimation of bilirubin in infants. *N Z J Med Lab Technol* 1972; 26(3): 99-102.

Siebers RWL, Clarkson K. Lipoprotein electrophoresis on cellulose acetate. *N Z J Med Lab Technol* 1972; 26(3): 112-113.

Lever M. The use of fluorescent chelates for the determination of antibiotics and other important biological substances. *N Z J Med Lab Technol* 1973; 27(1): 15-20.

Owen MC. A simple method of protein preparative electrophoresis. *N Z J Med Lab Technol* 1973; 27(2): 51-53.

Calvert GD. The laboratory characterization of serum lipoproteins. *N Z J Med Lab Technol* 1973; 27(2): 53-59.

Siebers RWL. Phenotyping hyperlipoproteinaemias [Letter]. *N Z J Med Lab Technol* 1973; 27(2): 77.

Allan RD. Laboratory standards. *N Z J Med Lab Technol* 1973; 27(3): 86-88.

McArthur DA. Assessment of an automated integrator for quantitation of serum protein fractions. *N Z J Med Lab Technol* 1973; 27(3): 92-94.

Bloore HG. Estimation of inorganic serum phosphorus: a direct method. *N Z J Med Lab Technol* 1973; 27(3): 94-97.

Johnson DMA, Wilson DM, Small CW. Assay for muscle phosphorylase activity. *N Z J Med Lab Technol* 1973; 27(3): 98-99.

Siebers RWL. Evaluation of 'Precipitest', a screening test for hyperlipaemia. *N Z J Med Lab Technol* 1974; 28(1): 5-8.

Olsen RE. Recurrent infections and immunoglobulin deficiencies in childhood. *N Z J Med Lab Technol* 1974; 28(1): 8-11.

Siebers RWL. Correction for the direct Liebermann-Burchard cholesterol method [Letter]. *N Z J Med Lab Technol* 1974; 28(1): 15.

Allan RD. Avoiding clots in Auto Analyzer manifolds. *N Z J Med Lab Technol* 1974; 28(1): 26.

Meaney MF. Increased accuracy and precision in screening for urinary mucopolysaccharides. *N Z J Med Lab Technol* 1974; 28(2): 29-34.

Friend LR. A case of congestive heart failure. *N Z J Med Lab Technol* 1974; 28(2): 50-51.

Allan RD. Precaution in estimating α fetoprotein. *N Z J Med Lab Technol* 1974; 28(2): 52.

Beattie GF. Kinetic creatine assay [Letter]. *N Z J Med Lab Technol* 1974; 28(2): 52.

Joyce PR, Janus ED. The laboratory diagnosis of α_1 -antitrypsin deficiency. *N Z J Med Lab Technol* 1974; 28(3): 72-77.

Jarvis KM. Assessment of ion exchange chromatographic separation of creatine phosphokinase isoenzymes as a basis for screening for malignant hyperthermia. *N Z J Med Lab Technol* 1974; 28(3): 78-81.

Siebers RWL. Serum lipid techniques in New Zealand. *N Z J Med Lab Technol* 1974; 28(3): 81-83.

Legge M, Dohrman D. Urine protein screening. *N Z J Med Lab Technol* 1974; 28(3): 93.

Legge M. The use of urinary oestriol in monitoring foetoplacental function. *N Z J Med Lab Technol* 1975; 29(1): 14-18.

Powell JC. Urine protein determination utilising Eosin-Y in a continuous flow system. *N Z J Med Lab Technol* 1975; 29(1): 18-22.

Wilson TM, Masarei JRL. A comparison of two automated methods for serum cholesterol. *N Z J Med Lab Technol* 1975; 29(2): 48-50.

Hsu P, Briggs MH. Plasma enzymes in liver disease. *N Z J Med Lab Technol* 1975; 29(2): 50-53.

Legge M. The use of human placental lactogen in monitoring placental function. *N Z J Med Lab Technol* 1975; 29(2): 53-56.

Dohrman D. Lecithin sphingomyelin ratios in amniotic fluid. *N Z J Med Lab Technol* 1975; 29(2): 57-59.

McIntosh JT. Glucose-6-phosphate dehydrogenase zymograms on Cellogel. *N Z J Med Lab Technol* 1975; 29(3): 85-87.

Siebers RWL. A novel oxygen-free solution for standardising the pO₂ electrode. *N Z J Med Lab Technol* 1975; 29(3): 105-106.

Breed ID. An assessment of the Radiometer ABL 1. *N Z J Med Lab Technol* 1976; 30(2): 56-59.

Legge M. Alpha-foetoprotein and its use in foetal diagnosis: a review. *N Z J Med Lab Technol* 1976; 30(2): 59-64.

Sharp RC. A direct automated procedure for the estimation of serum inorganic phosphate. *N Z J Med Lab Technol* 1976; 30(2): 64-66.

Legge M. Lecithin to sphingomyelin ratio – a comparison of two methods of assessment. *N Z J Med Lab Technol* 1976; 30(3): 84-86.

Dohrman D. Kinetic creatine kinase kits. *N Z J Med Lab Technol* 1976; 30(3): 86-90.

Breed ID, Small CW. Quality control in blood gas measurement. *N Z J Med Lab Technol* 1976; 30(3): 92-94.

Lane GD, Howell DR, Small CW. Creatine kinase isoenzymes. *N Z J Med Lab Technol* 1976; 30(3): 95.

Legge M. High pressure liquid chromatography; two suggestions on applications. *N Z J Med Lab Technol* 1977; 31(1): 10.

Legge M. Creatine kinase assays [Letter]. *N Z J Med Lab Technol* 1977; 31(1): 20-21.

Powell JC. Modifications to the SMA 12/60 to enhance productivity. *N Z J Med Lab Technol* 1977; 31(2): 30-32.

Legge M. Evaluation of the Pye Unicam SP30 reaction rate system. *N Z J Med Lab Technol* 1977; 31(2): 32-36.

Buchanan AM, Coyte JE, Small CW. A simple inexpensive record for agar-gel immunoelectrophoresis. *N Z J Med Lab Technol* 1977; 31(3): 65.

Legge M, Brizzell CA. Tetrabromphenol blue – assessment of albumin specificity. *N Z J Med Lab Technol* 1977; 31(3): 68-69.

Lindley TN, Sharman JR. Determination of fenfluramine and norfenfluramine in plasma by gas liquid chromatography. *N Z J Med Lab Technol* 1977; 31(3): 69-70.

Lindley TN, Sharman JR. Rapid estimation of paracetamol in plasma. *N Z J Med Lab Technol* 1977; 31(3): 71-73.

Siebers RWL. Sequential dialysis on the Technicon SMA 6/60 (4+2). *N Z J Med Lab Technol* 1977; 31(3): 73-74.

Sharman JR. The identification of drugs in gastric washings following acute poisoning. *N Z J Med Lab Technol* 1978; 32(1): 17-20.

Legge M. An enzymatic test of placental function. *N Z J Med Lab Technol* 1978; 32(2): 49-51.

Legge M. Faecal tryptic activity – a source of error. *N Z J Med Lab Technol* 1978; 32(2): 56-57.

Legge M. A potential error in screening for galactosaemia. *N Z J Med Lab Technol* 1978; 32(2): 60.

France N. A comparison of the predictive value of the pregnanediol/creatinine ratio and the human chorionic gonadotrophin titre in threatened miscarriage. *N Z J Med Lab Technol* 1978; 32(3): 85-87.

Kitto JB. Experience with curve regeneration in continuous flow analysis. *N Z J Med Lab Technol* 1978; 32(3): 90-93.

Lever M, Munster DJ. The performance of cholesterol and triglyceride analyses in New Zealand. *N Z J Med Lab Technol* 1978; 32(3): 93-101.

Choe MK. A rapid simple method for plasma (serum) paraquat determination. *N Z J Med Lab Technol* 1978; 32(3): 107.

Lyon ICT. Screening for galactosaemia [Letter]. *N Z J Med Lab Technol* 1978; 32(3): 108-109.

Walker S. A case of IgD myeloma. *N Z J Med Lab Technol* 1979; 33(1): 7-8.

Legge M. Oxygen electrode calibration. A simple inexpensive method. *N Z J Med Lab Technol* 1979; 33(1): 11-12.

Walmsley TA, Lever M, Munster DJ, Fowler RT, Tisch G. Comparison of laboratory performance in two interlaboratory surveys: digoxin, a case study. *N Z J Med Lab Technol* 1979; 33(1): 13-16.

Siebers RWL. Non-chemical errors in chemical pathology – a study. *N Z J Med Lab Technol* 1979; 33(1): 17-18.

Millard RM. Estimation of HDL-cholesterol in serum. *N Z J Med Lab Technol* 1979; 33(1): 18-19.

Chapman C, Kappatos D, Siebers RWL. Evaluation and comparison of serum phenytoin assay by gas chromatography and two enzyme multiplied immunoassay techniques. *N Z J Med Lab Technol* 1979; 33(2): 33-36.

Davis GF. An unusual cryoglobulin. *N Z J Med Lab Technol* 1979; 33(2): 52.

Hurst PL. Serum cholesterol determination on the IL Multistat III with the IL test cholesterol kit. *N Z J Med Lab Technol* 1979; 33(2): 44-45.

Wilson AG, Chilwell LA. An evaluation of the Chemlab microprocessor-controlled 8-channel continuous flow analyser. *N Z J Med Lab Technol* 1980; 34(1): 7-13.

Fallas DM. BCP albumin and the Gilford 3500. *N Z J Med Lab Technol* 1980; 34(2): 48-49.

Abernethy MH, Walmsley TA. Errors arising from non-mixing of thawed specimens. *N Z J Med Lab Technol* 1980; 34(2): 49.

Allan RD. A case of biclonal paraproteinaemia. *N Z J Med Lab Technol* 1980; 34(3): 76-79.

Legge M. The assessment of fetal lung maturation using amniotic fluid palmitic acid quantitation. *N Z J Med Lab Technol* 1980; 34(3): 79-82.

Hurst PL, Chilwell LA. Metronidazole interference with continuous flow measurement of aspartate aminotransferase. *N Z J Med Lab Technol* 1980; 34(3): 82-85.

Anderson RAM. Haptoglobin genotyping by acrylamide gel electrophoresis in a New Zealand population. *N Z J Med Lab Technol* 1981; 35(1): 8-11.

Hurst PL. Evaluation of an enzymatic amylase kit. *N Z J Med Lab Technol* 1981; 35(1): 11-16.

Anderson RAM. Gc globulin types in a New Zealand population. *N Z J Med Lab Technol* 1981; 35(1): 17-19.

Lawson MR. Inhibition of pseudocholinesterase by serum separators. *N Z J Med Lab Technol* 1981; 35(1): 26-27.

Cursons RTM, Cepulis S. The separation of serum IgM by gel-filtration for use in toxoplasma indirect immunofluorescence. *N Z J Med Lab Technol* 1981; 35(2): 50-53.

McKenzie R. Blood glucose monitoring: Dextrostix and Boehringer test strips compared in a semi-quantitative and quantitative role. *N Z J Med Lab Technol* 1981; 35(2): 54-59.

Fallas DM. Gilford 3500 – reduction in reagent volumes with Emit® techniques. *N Z J Med Lab Technol* 1981; 35(2): 64-65.

Smale TA. A modified cresolphthalein complexone method for manual calcium estimation. *N Z J Med Lab Technol* 1981; 35(3): 72-75.

Buchanan A. Preservation of 24 hour urine collections. *N Z J Med Lab Technol* 1981; 35(3): 84.

Cursons R, Hancock BM. The use of cellulose acetate as a supporting matrix for counterimmunoelectrophoresis. *N Z J Med Lab Technol* 1982; 36(2): 31-32.

McKenzie R. Direct bilirubin measurement [Letter]. *N Z J Med Lab Technol* 1982; 36(2): 39-40.

McIntosh JT, McLaren RD. Purification of band 8, a salivary protein implicated in bloat susceptibility. *N Z J Med Lab Technol* 1982; 36(4): 86-87.

Killip M. Estimation of conjugated bilirubin [Letter]. *N Z J Med Lab Technol* 1982; 36(4): 89-90.

Moran RF, Lesica JP. An automated data management system for blood gas quality control. *N Z J Med Lab Technol* 1983; 37(2): 26-27.

Tingle MV, Cameron MC. A simplified method for the demonstration of the phospholipid profile of amniotic fluid using plastic backed thin layer chromatography plates. *N Z J Med Lab Technol* 1983; 37(2): 28-29.

Dohrman D. A brief evaluation of the auto carousel in the Emit Lab 5000 system using Emit aminoglycoside reagents. *N Z J Med Lab Technol* 1983; 37(2): 31-32.

Smale T. Manufacturers reference ranges [Letter]. *N Z J Med Lab Technol* 1983; 37(3): 72.

Sheat JM. Identification of monoclonal antibodies by immunofixation. *N Z J Med Lab Technol* 1984; 38(1): 6-10.

Buchanan A. Porphyrins and the porphyrias. *N Z J Med Lab Technol* 1984; 38(1): 11-13.

Hodgson W, McKenzie RS. Dip-stick chemistry: simple and reliable or simply unreliable. *N Z J Med Lab Technol* 1984; 38(3): 68-69.

Hill PD. Some thoughts on reference ranges. *N Z J Med Lab Technol* 1984; 38(3): 69-72.

Potter HC. The organic acidaemias: a review. *N Z J Med Lab Technol* 1984; 38(3): 73-78.

Lorier MA. Alpha-1-antitrypsin: review. *N Z J Med Lab Technol* 1984; 38(4): 116-120.

Fallas DH. Ferritin enzyme immunoassay, the high dose 'hook effect'. *N Z J Med Lab Technol* 1985; 39(1): 9-10.

Shue J, Hurst PL. Is the total cholesterol/albumin ratio an alternative to high density lipoprotein cholesterol measurement? *N Z J Med Lab Technol* 1985; 39(1): 12-14.

Hurst PL, Lovell-Smith CJ. Reference intervals for alkaline phosphatase, angiotensin converting enzyme, aspartate aminotransferase, creatine kinase and α -glutamyl transferase in eleven year old children. *N Z J Med Lab Technol* 1985; 39(3): 103-108.

Powell JC, Small CW, Johnson RN. A computer bureau service for clinical biochemistry. *N Z J Med Lab Technol* 1985; 39(4): 156-159.

Small CW. Lipoproteins. *N Z J Med Lab Technol* 1985; 39(4): 162-164.

Hurst PL, Sise JA. Macro-creatine kinase in a patient with myocardial infarction: a case report. *N Z J Med Lab Technol* 1986; 40(2): 53-55.

France NC, Speed JF. RIA versus IRMA: a comparison of two commercial kits for thyrotropin. *N Z J Med Lab Technol* 1986; 40(3): 101-103.

Siebers RWL, Chen CT, Maling TJB. HPLC determination of amiodarone and its metabolite desethylamiodarone in plasma and erythrocytes. *N Z J Med Lab Technol* 1986; 40(4): 162-163.[Erratum in: *N Z J Med Lab Technol* 1987; 41(1): 15.]

Chambers S, Hollowes M. Evaluation of Biorad Quantaphase B12 and folate kit. *N Z J Med Lab Technol* 1986; 40(4): 166.

Parker J. Extra laboratory glucose testing. *N Z J Med Lab Technol* 1987; 41(1): 5-6.

Dixon-McIver DNM, Sargon RSG. Evaluation of the Minolta transcutaneous bilirubin meter as a screening device in a mixed race population. *N Z J Med Lab Technol* 1987; 41(3): 76-77.

Hurst PL, Langford NJ, Shue J. Reference ranges on the Hitachi-Boehringer 737 derived from patients' results. *N Z J Med Lab Technol* 1987; 41(4): 116-118.

Verkaaik GR. Experience using high sensitivity TSH as a frontline test in thyroid function screening. *N Z J Med Lab Technol* 1988; 42(2): 43-45.

Sise JA, Sharman JR. Emit and TDx benzodiazepine assay. *N Z J Med Lab Technol* 1988; 42(2): 46-51.

Siebers RWL, Maling TJB. Sodium and potassium transport across the red cell membrane. *N Z J Med Lab Technol* 1988; 42(3): 68-72. [Erratum in: *N Z J Med Lab Technol* 1988; 42(4): 141.]

Parker J. Ward glucose testing – an update. *N Z J Med Lab Technol* 1988; 42(3): 75-77.

Siebers R, Bird Y, Newton J, Chisnall W. Effect of cold storage of whole blood on routine biochemistry parameters. *N Z J Med Lab Technol* 1988; 42(3): 78.

Moran RF. Extra-analytical considerations in the assurance of quality blood gas results. *N Z J Med Lab Technol* 1989; 43(1): 12-14.

Johnston A. Standardisation of enzyme units: Thames units [Letter]. *N Z J Med Lab Technol* 1989; 43(1): 24.

Siebers RWL, Murphy C, Chisnall W, Maling TJB. Effect of race and weight on plasma urate: implications for laboratory reference ranges. *N Z J Med Lab Technol* 1989; 43(4): 92-93.

Sargon RSG. A brief experience with the Beckman clinical chemistry analyser. *N Z J Med Lab Technol* 1990; 44(1): 11-13

Melleliue JM. Assessment of two blood glucose monitors: BM Refloux II and DIC Glucoscot II. *N Z J Med Lab Technol* 1990; 44(2): 41-46.

Siebers RWL, Bremner P, Woodman K, Burgess CD, Beasley R, Crane J. Evaluation of the ionetics electrolyte analyzer for plasma potassium measurement in whole blood. *N Z J Med Lab Technol* 1990; 44(3): 85-86.

Fairfoot DC. Biochemistry stat analysis: the Green Lane experience with the Nova Stat Profile 5. *N Z J Med Lab Technol* 1990; 44(4): 121-124.

Siebers RWL. Stability of whole blood for plasma sodium and potassium measured with ion specific electrodes. *N Z J Med Lab Sci* 1991; 45(2): 48-49.

Siebers RWL, Burgess CD, Crane J, Beasley R. Biochemical effects of inhaled bronchodilators in asthma. *N Z J Med Lab Sci* 1993; 47(4): 127-128. [Erratum in: *N Z J Med Lab Sci* 1994; 48(1): 41.]

Siebers RW, Jackson M, Lim C, Maling TJ. Stability of urate in urine. *N Z J Med Lab Sci* 1994; 48(2): 67-69.

Johnson RN. Caffeine as an accelerator of bilirubin extraction from amniotic fluid. *N Z J Med Lab Sci* 1994; 48(3): 107-110.

Godsell P. Near-patient testing: the blood gas network at Royal North Shore Hospital as a model for a near-patient testing facility. *N Z J Med Lab Sci* 1994; 48(4): 160-164.

Sargon RSG. Random access analysis of cholesterol, HDL cholesterol and triglyceride. *N Z J Med Lab Sci* 1995; 49(1): 11-16.

Little L. Modification to the Boehringer Mannheim Tina Quant microalbumin assay on the Hitachi 747. *N Z J Med Lab Sci* 1995; 49(3): 116-119.

Mikkelsen D, Clarke EM. Evaluation of the Ciba Corning 850 and the Instrumentation Laboratory 1640 automated blood gas electrolyte analysers. *N Z J Med Lab Sci* 1995; 49(4): 159-162.

Little L, Reilly D. Evaluation of the Johnson and Johnson Clinical Diagnostics Ektachem E250 system. *N Z J Med Lab Sci* 1995; 49(4): 166-168.

French J. Measurement of myocardial proteins in ischaemic heart disease. *N Z J Med Lab Sci* 1997; 51(1): 15.

Simmonds S. CKMB. *N Z J Med Lab Sci* 1997; 51(1): 16.

McNeil A. Urinary catecholamine measurements and the diagnosis of pheochromocytoma. *N Z J Med Lab Sci* 1997; 51(1): 16-17.

Rowe P. Pancreatic elastase 1. *N Z J Med Lab Sci* 1997; 51(1): 17.

Ellis J. A computer-based system to generate clinical chemistry reference intervals from hospital-based patients: a pilot study. *N Z J Med Lab Sci* 1997; 51(2): 49-54.

Murphy C. Implementing the RHA draft national quality standards for medical testing laboratories for glucose near patient testing. *N Z J Med Lab Sci* 1998; 52(1): 6-9.

Holt S, Siebers R. Laboratory and clinical aspects of measuring serum eosinophil cationic protein (ECP) in asthma. *N Z J Med Lab Sci* 1999; 53(1): 3-4.

Liyanarachy NM. Effects of storage at 4°C for seven days on ten serum analytes. *N Z J Med Lab Sci* 2000; 54(3): 83-86.

Wilson R. Is the TRACE™ spectrophotometric method specific and precise enough to replace flame photometry for the analysis of lithium? *N Z J Med Lab Sci* 2002; 56(1): 9-11.

Broadbent JL. Salivary testosterone: is it an indicator of free testosterone concentration in plasma? *N Z J Med Lab Sci* 2002; 56(3): 85-90.

Hewett R. Drugs of abuse testing. *N Z J Med Lab Sci* 2004; 58(1): 9-12.

Lever CC. Method evaluation for methylmalonic acid: use for assessing vitamin B₁₂ deficiency. *N Z J Med Lab Sci* 2004; 58(1): 27-39.

Findlater RL. Monoclonal gammopathies: a laboratory perspective. *N Z J Med Lab Sci* 2004; 58(1): 41-48.

Sies C, Florkowski C, George P. Faecal occult blood testing: guaiac vs immunochemistry: which method should we use? *N Z J Med Lab Sci* 2004; 58(1): 58-60.

Delahunt B, Lamb DS, Nacey JN. The diagnosis and treatment of prostate cancer: will commonsense prevail? *N Z J Med Lab Sci* 2004; 58(1): 86-89.

Lowrey E. Review of point of care testing (POCT) and the evaluation of whole blood for potassium and glucose on the Roche reflotron. *N Z J Med Lab Sci* 2005; 59(2): 22-32.

Sies C, Florkowski C. A guide to the diagnosis of porphyria: suggested methods and case samples. *N Z J Med Lab Sci* 2006; 60(1): 7-11.

Gutha RJ, Tangirala M. Serial serum prostate specific antigen measurements over time in a patient presenting with a metastatic adenocarcinoma of unknown origin. *N Z J Med Lab Sci* 2007; 61(2): 31-32.

Hoy BA. The diagnostic footprints: a case study. *N Z J Med Lab Sci* 2007; 61(2): 33-35.

Christian C. Comparison of intact parathyroid hormone (iPTH) assays in the diagnostic laboratory: Roche Modular E170 and Advia Centaur. *N Z J Med Lab Sci* 2008; 62(2): 35-36.

Parsian H, Nouri M, Somi MH, Rahimpour A, Qujeq D, Estakhri R, Fard MK, Agcheli K, Majidi G. Attenuation of serum laminin concentrations upon treatment of chronic hepatitis. *N Z J Med Lab Sci* 2009; 63 (1): 12-17. [Retracted in: *N Z J Med Lab Sci* 2012; 66(1): 22.]

Jones LM, Legge M. Biochemical markers of bone activity in active and sedentary spinal cord injured men. *N Z J Med Lab Sci* 2009; 63(2): 40-43.

Hemmady S. Adrenal carcinoma: a case study. *N Z J Med Lab Sci* 2009; 63(2): 48-50.

Song D, Lun AR, Chiu W. Diazyme adenosine deaminase in the diagnosis of tuberculous pleural effusion: method evaluation and clinical experiences in a New Zealand population. *N Z J Med Lab Sci* 2010; 64(1): 11-13.

Mohn B. Evaluation of the Nova Biomedical Statstrip glucose meter. *N Z J Med Lab Sci* 2010; 64(1): 18-21.

Mann S. Diagnosing a heart attack – should biomarkers be the be-all and end-all? *N Z J Med Lab Sci* 2010; 64(2): 38-39.

Khieng V, Stevens C. Vitamin D toxicity? A case study. *N Z J Med Lab Sci* 2010; 64(2): 44-50.

Hazlett JA, Legge M. The influence of fetal bovine serum on protein expression *in-vitro*: a proteomics approach. *N Z J Med Lab Sci* 2011; 65(1): 10-11.

Christian C. Common variable immunodeficiency: a case study. *NZ J Med Lab Sci* 2011; 65(3): 86-88.

Ferreira JP, Silva SV, Rodrigues P, Abreu MA, Maia JM, Carvalho D, Carvalho L. Stability of blood gases when refrigerated. *N Z J Med Lab Sci* 2012; 66(2): 42-45.

Nnodim J, Ihim A, Udujih HE. Attenuation of chloroquine-induced hepatotoxicity and renal damage by *Gnetum bucholzianum* leaf extract. *N Z J Med Lab Sci* 2012; 66(2): 46-47.

Woods S. Cystic fibrosis in adulthood – an evolving spectrum disorder. *N Z J Med Lab Sci* 2013; 67(1): 20-24.

Simkins A. Measured LDL – an unnecessary expense or a customer service? *N Z J Med Lab Sci* 2013; 67(1): 25-26.

Grebe SKG. Soluble thyroid tumor markers – old and new challenges and potential solutions. *N Z J Med Lab Sci* 2013; 67(3): 76-87.

Omoriegie R, Unuabonah FH, Iyama EX. Oxygen transport potential of blood of HIV patients on highly active antiretroviral therapy in Benin City, Nigeria. *N Z J Med Lab Sci* 2013; 67(3): 88-90.

Kawamoto S. Discordant results from different HbA1c methods: implications of a haemoglobin variant. Discordant results from different HbA1c methods: implications of a haemoglobin variant. *N Z J Med Lab Sci* 2016; 70(2): 71-72.

Christian C. Priapism: a case study and review. *N Z J Med Lab Sci* 2017; 71(1): 11-13.

Dutt N, Musaad S. Cephalosporin interference in the Jaffe creatinine method: a case study. *N Z J Med Lab Sci* 2018; 72(1): 26-28.

Patil V, Musaad S. Neonatal giant cell hepatitis: a case study. *N Z J Med Lab Sci* 2018; 72: 70-72.

TRANSFUSION MEDICINE

Pearson CTB. The Rh factor. *J N Z Assoc Bact* 1947; 2(3): 25-29.

Curtis PH. Massive exchange transfusion in a predicted case of haemolytic disease of the newborn. *J N Z Assoc Bact* 1949; 4(1): 1-4.

Scott PB. Rh. typing by the slide and tube techniques. *J N Z Assoc Bact* 1951; 6(3): 43-45.

Scott PB. Blood groups in relation to ethnology. *J N Z Assoc Bact* 1953; 8(1): 6-8.

Cameron GL. Anti-P and cross-types. *J N Z Assoc Bact* 1956; 11(3): 67-69.

Evans L. Investigation of haemolytic transfusion reaction. *J N Z Assoc Bact* 1957; 12(1): 10-13.

Evans L. The haemolysin screen test for detection of immune iso-antibodies in universal donors. *J N Z Assoc Bact* 1958; 13(1): 2-6.

Jenner M. Transfusion services in smaller hospitals. *J N Z Assoc Bact* 1958; 13(2): 45-48.

McElrea JM. The phenomena causing false agglutination in blood group serology. *J N Z Inst Med Lab Technol* 1962; 16(2): 37-39.

Ford DS. A sterile 'closed circuit' method for preparation of red cell concentrates. *N Z J Med Lab Technol* 1963; 17(1): 15-16.

Toms VM. A comparative study of anti-globulin (Coombs') reagents commercially available in New Zealand. *N Z J Med Lab Technol* 1963; 17(2): 47-51.

Hilder FM. An evaluation of the copper sulphate specific gravity method for screening blood donors. *N Z J Med Lab Technol* 1963; 17(2): 52-53.

Case J. A blood of group A resembling group AB. *N Z J Med Lab Technol* 1965; 19(3): 116-119.

Wilson AG. Anti-c detected by a ficin crossmatch. *N Z J Med Lab Technol* 1967; 21(3): 169-170.

Case J. An example of saline-reacting anti-Xg^a. *N Z J Med Lab Technol* 1970; 24(1): 25-26.

Collins BM. Use of controls in blood bank procedures. *N Z J Med Lab Technol* 1971; 25(1): 10-11.

Laing MM. The coagulation factors in freeze-dried fresh plasma. A preliminary communication. *N Z J Med Lab Technol* 1971; 25(1): 16.

Douglas R, Figgins KP. A rapid micro-method for the preparation of lymphocyte suspensions. *N Z J Med Lab Technol* 1971; 25(1): 17.

Oudyn E. The use of albumin gland extract of *Helix aspera* as a potent source of anti A. *N Z J Med Lab Technol* 1971; 25(2): 51.

Booth PB, McLoughlin K. Plasma potassium levels in stored blood for transfusion. *N Z J Med Lab Technol* 1971; 25(2): 52-53.

McKay EJ, Haines DJ. Automated blood grouping; an assessment of the Technicon hospital autotyper. *N Z J Med Lab Technol* 1972; 26(1): 19-24.

Dixon SG. Anti-P₁ and hydatid cyst fluid. *N Z J Med Lab Technol* 1972; 26(3): 97-99.

White AE. The erythrocyte membrane, its cell coat and blood group antigen anomalies in cord blood. *N Z J Med Lab Technol* 1972; 26(3): 107-110.

Ford DS. Some family studies on an unusual Rhesus gene – r^{Gr}. *N Z J Med Lab Technol* 1973; 27(2): 62-65.

White AE. An unusual Rhesus antibody. *N Z J Med Lab Technol* 1974; 28(2): 49.

Austin RJ. An example of an antibody to altered albumin. *N Z J Med Lab Technol* 1975; 29(1): 26-27.

Verkaaik GR. The use of polybrene in manual antibody detection. *N Z J Med Lab Technol* 1975; 29(2): 60-62.

Ford DS. Preliminary evaluation of the BG-8 blood grouping autoanalyser. *N Z J Med Lab Technol* 1975; 29(2): 62-65.

Knight AE. A problem encountered with an antibody of the Kidd blood group system. *N Z J Med Lab Technol* 1975; 29(2): 69-70.

Douglas R. Jk^{n-b} [Letter]. *N Z J Med Lab Technol* 1975; 29(3): 107.

Case J. A cursory review of some of the myths associated with immunohaematology. *N Z J Med Lab Technol* 1976; 30(1): 2-6.

Austin R. An evaluation of a rapid Coombs technique. *N Z J Med Lab Technol* 1976; 30(2): 51-54.

Austin RJ. Positive direct Coombs test due to sulphonylurea. *N Z J Med Lab Technol* 1977; 31(2): 42-43.

Coplestone JC. An ABO blood grouping anomaly. *N Z J Med Lab Technol* 1979; 33(1): 5-6. [Erratum in *N Z J Med Lab Technol* 1979; 33(2): 66].

Hamer J, Kennett K. A comparison of red cell antibody elution methods. *N Z J Med Lab Technol* 1979; 33(3): 72-74.

Wall JM, McKnight JA, Milligan LM. ABO antibodies in cryoprecipitate. *N Z J Med Lab Technol* 1979; 33(3): 74-76.

Austin RJ. A review of low ionic strength solution (LISS) as a red cell suspending medium. *N Z J Med Lab Technol* 1979; 33(3): 76-79.

Daniels J, Storey CG. A blood group survey of New Zealand resident Cook islanders. *N Z J Med Lab Technol* 1979; 33(3): 79-82.

Austin RJ, Knight AE. National immunohaematology proficiency survey (NIPS). A summary of results. *N Z J Med Lab Technol* 1980; 34(1): 15-17.

Knight AE. A ten year survey of the efficiency of anti-Rh immunoglobulin in the prevention of Rhesus (D) sensitisation. *N Z J Med Lab Technol* 1980; 34(1): 17-19.

Austin RJ. ABO haemolytic disease of the newborn; a New Plymouth study. *N Z J Med Lab Technol* 1980; 34(3): 88-89.

Austin RJ, Knight AE. National immunohaematology proficiency survey (NIPS) – a summary of results. *N Z J Med Lab Technol* 1981; 35(1): 20-21.

Bell HM, Grant MA. A study of the Imugard TF:IG500 filter for the production of leukocyte poor blood. *N Z J Med Lab Technol* 1981; 35(1): 22-25.

Roser DE. Toxocara infection resulting in the formation of an anti A in a group A₁ individual. *N Z J Med Lab Technol* 1981; 35(3): 76-77.

Austin RJ, Knight AE. National immunohaematology proficiency survey (NIPS). A summary of results. *N Z J Med Lab Technol* 1981; 35(3): 81-83.

Henry WJ. Use of an Eppendorf Multipette 4780 with low ionic strength saline suspended red cells. *N Z J Med Lab Technol* 1981; 35(3): 83.

Roser DE. The group and hold scheme and elective cold surgery. *N Z J Med Lab Technol* 1982; 36(1): 3-4.

Barnes WB. A cord blood sample with a positive direct antiglobulin test due to anti M. *N Z J Med Lab Technol* 1982; 36(2): 36.

Austin RJ, Crossley GL. Actinidin – the proteolytic enzyme from kiwifruit as an aid to the detection of blood group antibodies. *N Z J Med Lab Technol* 1982; 36(5): 115.

Knight AE, Meek D. A New Zealand “Bombay” family. *N Z J Med Lab Technol* 1983; 37(1): 3.

Pinder L. Polyagglutinability in a patient with clostridial infection. *N Z J Med Lab Technol* 1983; 37(1): 5-6.

Austin RJ, Knight AE. National immunohaematology proficiency survey (NIPS). A summary of results. *N Z J Med Lab Technol* 1983; 37(1): 9-10.

Kerr HM, Milligan LM, Knight AE, Bristol JA. Unexpected leukocyte antibody production in response to transfusion therapy: a case report. *N Z J Med Lab Technol* 1983; 37(2): 36.

Milligan L, White J. Towards self-sufficiency in HLA typing sera. *N Z J Med Lab Technol* 1983; 37(2): 36-38.

Pheloung CE, Milligan LM. An enzyme control. *N Z J Med Lab Technol* 1983; 37(2): 40.

Smith KF, Wilson WJ. Filtration of platelet concentrates. *N Z J Med Lab Technol* 1984; 38(1): 3-4.

Storey CG. An example of a steroid associated haeagglutinin. *N Z J Med Lab Technol* 1984; 38(1): 10-11.

Austin RJ, Knight AE. National immunohaematology proficiency survey (NIPS): a summary of results. *N Z J Med Lab Technol* 1985; 39(1): 10-11.

Lyne CJ. JK(a-b-) blood group gems of the South Pacific. *N Z J Med Lab Technol* 1985; 39(3): 115-116.

Austin RJ, Knight AE. National immunohaematology proficiency survey (NIPS): a summary of results. *N Z J Med Lab Technol* 1986; 40(1): 4-5.

Benny AG, Scott RH. An improved small pool freeze-dried cryoprecipitate. Factor VIII concentrate. *N Z J Med Lab Technol* 1986; 40(2): 46-48.

Chapman DG. Anti-Chido: a case report. *N Z J Med Lab Technol* 1986; 40(3): 103-104.

Khull SR. An I-negative blood donor. *N Z J Med Lab Technol* 1986; 40(3): 104-105.

Austin RJ, Knight AE. National immunohaematology proficiency survey (NIPS): a summary of results. *N Z J Med Lab Technol* 1987; 41(1): 7-8.

Robertson SP, McLoughlin K. Haemolytic disease of the newborn caused by anti-Di^a. *N Z J Med Lab Technol* 1989; 43(1): 6-7.

Henry SM, Simpson LA, Benny AG, Woodfield DG. Investigation of Lewis phenotypes in Polynesians: variability in detection of Lewis antigens by monoclonal, goat and human anti-sera. *N Z J Med Lab Technol* 1989; 43(3): 64-67.

Fallas D. Blood donation by Khmer refugees. *N Z J Med Lab Technol* 1990; 44(1): 14-19.

Milligan L, Ashton R. Quality assurance the Aotearoa way. *N Z J Med Lab Sci* 1991; 45(1): 27-28.

Henry S. The A₁ phenotype and the incidence of the A-type3/4 epitope in Polynesians. *N Z J Med Lab Sci* 1991; 45(4): 114-116.

Khull S. D^u testing. *N Z J Med Lab Sci* 1992; 46(1): 44.

Khull S. Antibody identification – a case study. *N Z J Med Lab Sci* 1992; 46(2): 71.

Milligan L, Williams S, Stewart K, Barrett L. The relation between response to hypertonic stress recovery and the swirling of stored platelets. *N Z J Med Lab Sci* 1992; 46(2): 75.

Kendrick B. Blood transfusion and the transmission of CMV. *N Z J Med Lab Sci* 1992; 46(3): 100-109.

Ashton R, Milligan L, White J, Hewitt C. A preliminary look at possible HLA and coeliac disease in the Otago region. *N Z J Med Lab Sci* 1992; 46(3): 109.

Williams S, Milligan L, Faed J. Survey of red cell characteristics during storage. *N Z J Med Lab Sci* 1992; 46(4): 139.

Fyfe C, Milligan L, Faed JM. To demonstrate that glucose levels in whole blood and packed red cells remain within acceptable limits during the storage life of the unit. *N Z J Med Lab Sci* 1992; 46(4): 139.

Browning L. Computers. Evaluating the benefits before introduction. *N Z J Med Lab Sci* 1992; 46(4): 139-140.

Dagger J. Human platelet antigens. *N Z J Med Lab Sci* 1992; 46(4): 140.

Knight A. A review of platelet serology. *N Z J Med Lab Sci* 1993; 47(1): 29.

Storey G. Blood donor recruitment. *N Z J Med Lab Sci* 1993; 47(1): 29-30.

Dagger J. Cadaver kidney donor testing and recipient selection. *N Z J Med Lab Sci* 1993; 47(1): 30-31.

de Koster M, Milligan L, Faed JM. Assessment of FVIII:C from random donors. *N Z J Med Lab Sci* 1993; 47(1): 30.

Dent A. Plasma fractionation. *N Z J Med Lab Sci* 1993; 47(1): 31-33.

Perry H. Polymerase chain reaction from an immunohaematology viewpoint. *N Z J Med Lab Sci* 1993; 47(1): 38-39. [Erratum in *N Z J Med Lab Sci* 1993; 47(2): 53.]

Duncan S. Anti-M – refresh your memory. *N Z J Med Lab Sci* 1993; 47(3): 114-115.

McPherson J. A family ABO and Rh(D) inheritance study in one easy go! *N Z J Med Lab Sci* 1993; 47(3): 114.

Baird S. Delayed haemolytic transfusion reaction (DHTR) – a case study. *N Z J Med Lab Sci* 1993; 47(3): 115.

Henry S, Pinder L. There is no apparent association between the unusual secretor phenotypes of Polynesians and the Lutheran blood group system. *N Z J Med Lab Sci* 1994; 48(1): 16.

Wisniewski-Smith S. Experience with the Diamed ID Micro typing system [Letter]. *N Z J Med Lab Sci* 1994; 48(2): 55.

Henry S, Oriol R. A potentially new human polymorphism. Individual differences in reactivity of Paneth cells with the sialic acid reactive lectins of *Maackia amurensis* and *Sambucus nigra*. *N Z J Med Lab Sci* 1995; 49(1): 9-10.

Milligan L. GMP good manufacturing practice...great masses of paper...time to go windsurfing. *N Z J Med Lab Sci* 1995; 49(1): 29-31.

Khull S. Plane crash response. *N Z J Med Lab Sci* 1995; 49(3): 126-127.

Kendrick B. The use of erythropoietin in autologous donation. *N Z J Med Lab Sci* 1995; 49(3): 127-128.

Henry S, Clark P, Woodfield G. High titre IgG ABO antibodies in group O Polynesian and European blood donors. Incidence, variability, racial and gender differences. *N Z J Med Lab Sci* 1995; 49(4): 164-165.

Henry S. Le(a+b+); phenotype and genotype. *N Z J Med Lab Sci* 1996; 50(2): 50-53.

Stanton R, Pinder L. The incidence of Co^b, and the high frequency antigens Ge2 and Sc1 in Polynesians. *N Z J Med Lab Sci* 1997; 51(3): 93-94.

Carter J, Coleman R, Woodfield G, Henry S. A simplified IgG anti-D quantitation method. *N Z J Med Lab Sci* 1998; 52(2): 45-46.

Coleman R, Carter J, Pryde A, Woodfield G, Henry S. The quantitation of anti-Rh(D) in New Zealand blood donors used for the manufacture of anti-Rh(D) immunoglobulin. *N Z J Med Lab Sci* 1998; 52(3): 61-62.

Khull SR. Production of defined-haematocrit plasma-reduced blood for exchange transfusion. *N Z J Med Lab Sci* 1999; 53(1): 8-9.

Bevan M. A comparison of the DiaMed gel technique with conventional tube techniques in a transfusion medicine laboratory [Letter]. *N Z J Med Lab Sci* 1999; 53(3): 104-105.

Bevan M. Optimising the effectiveness of platelet transfusion therapy. *N Z J Med Lab Sci* 2000; 54(1): 7-13.

Khull SR. A review of current concepts of the Rh blood group system. *N Z J Med Lab Sci* 2000; 54(2): 65-70.

Ali MSM, El Amin AYM, Gamal M, Abdulla N. Foetal maternal haemorrhage detection with the Kleihauer technique for postnatal immunoglobulin dose evaluation in Sudan. *N Z J Med Lab Sci* 2005; 59(1): 6-9.

van Essen J. The Christchurch earthquake and its effect on the New Zealand Blood Services processing laboratory. *N Z J Med Lab Sci* 2012; 66(2): 50-51.

Adriaansen MJ, Perry HE. Validation of column agglutination technology for blood group alloantibody technology. *N Z J Med Lab Sci* 2013; 67(3): 92-96.

Anderson KR, Faed JS. Evaluation of particular material in stored units of New Zealand re-suspended red cells. *N Z J Med Lab Sci* 2016; 70(3): 106-109.

Chacko MP, Shanthi R, Dolly D. A comparison of positivity using routine incubation, extended incubation and antihuman globulin in the Complement Dependent Cytotoxicity (CDC) assay. *N Z J Med Lab Sci* 2017; 71(3): 124-128.

HISTOLOGY AND CYTOLOGY

Cole JS. Histological methods. *J N Z Assoc Bact* 1948; 3(4): 54-58.

Meads GDE. Chronic plastic bronchitis. *J N Z Assoc Bact* 1951; 6(1): 6-7.

O'Sullivan K. Analysis of semen. *J N Z Assoc Bact* 1952; 7(1): 13-16.

Carson P. An introduction to exfoliative cytology and its application to the diagnosis of malignancy. *J N Z Assoc Bact* 1958; 13(3): 61-76.

Lynch MJ, Symonds IH. The sterilization and preservation of arterial homografts. *J N Z Inst Med Lab Technol* 1961; 15(5): 89-94.

Tingle D. Embedding moulds. *N Z J Med Lab Technol* 1969; 23(1): 21-23.

Skarsholt FE. Hormone assessment by cytological study of urinary tract cells. *N Z J Med Lab Technol* 1970; 24(1): 17-23.

Collins V. Bacterial contamination of histology sections. *N Z J Med Lab Technol* 1971; 25(2): 48.

Tingle D. A rapid paraffin section dryer. *N Z J Med Lab Technol* 1971; 25(2): 48.

Walker DJ. A cytological analysis of urine from renal transplant patients. *N Z J Med Lab Technol* 1972; 26(2): 60-66.

Cattermole MJ. A modified alcian blue/PAS technique. *N Z J Med Lab Technol* 1972; 26(2): 69-70.

Reeve J. Toluidine blue stain for acid mucopolysaccharide fibers in sputum. *N Z J Med Lab Technol* 1972; 26(3): 113-114.

Alderton KJ. The histology cryostat – a low temperature incubator? *N Z J Med Lab Technol* 1974; 28(3): 95.

Gratten MJ. Examination of renal biopsies by immunofluorescence. *N Z J Med Lab Technol* 1975; 29(3): 96-98.

Thackeray BC. Histology, present and future; a review. *N Z J Med Lab Technol* 1980; 34(3): 74-76.

Rothwell G. "Ralph" glass knives – their effect on paraffin and resin sections. *N Z J Med Lab Technol* 1981; 35(2): 59-61.

Thackeray BC. Methyl/n-butyl methacrylate as an embedding medium for routine resin sectioning in light microscopy. *N Z J Med Lab Technol* 1982; 36(3): 57-58.

Jarrett RJ. Carefree cryotomy. *N Z J Med Lab Technol* 1983; 37(2):41.

Lucas JE, Holmes RM. The use of monoclonal antibodies in the immunophenotyping of lymphoid neoplasms. *N Z J Med Lab Technol* 1986; 40(2): 48-50.

Thornton A, Delahunt B, Holloway LJ. Proliferating cell nuclear antigen (PCNA) expression in archival tissue. Evaluation of microwave pretreatment. *N Z J Med Lab Sci* 1994; 48(3): 103-105.

Murray AB, Thornton A, Delahunt B, Bethwaite PB, Holloway LJ. Tumour cell proliferation and antigen-presenting (Langerhans) cell density does not predict node status for medullary carcinoma of the breast. *N Z J Med Lab Sci* 1995; 49(2): 82-83.

Delahunt B, Thornton A. Proliferation markers in histopathology. *N Z J Med Lab Sci* 1999; 53(3): 91-94.

Mackay RJ. Neuroblastoma: biology of a tumour model. *N Z J Med Lab Sci* 2002; 56(3): 8-11. [Erratum in: *NZ J Med Lab Sci* 2002; 56(3): 79].

Thornton A. Assessment of tumour outcome using immunohistochemical and histochemical techniques. *N Z J Med Lab Sci* 2002; 56(1): 12-17.

Thuraisami V. The applications of microwave heating in histological techniques and its potential in pathology service. *N Z J Med Lab Sci* 2002; 56(2): 47-55.

Naran S, Lallu S, Kenwright D. Pulmonary mucormycosis diagnosed by brushing cytology. *N Z J Med Lab Sci* 2008; 62(2): 32-34.

Gibbs G, Read KM. An unusual fluid. The advantages of cross discipline training. *N Z J Med Lab Sci* 2008; 62(2): 40-42.

Kee JF. Immunohistochemical detection of Glut-1 helps to distinguish between reactive mesothelium and malignant mesothelioma. *N Z J Med Lab Sci* 2010; 64(3): 70-73.

Leverett S. Are tumour markers requested appropriately? A one month audit of tumour marker requests at Hawkes Bay District Health Board laboratory. *N Z J Med Lab Sci* 2011; 65(3): 83-85.

Lallu S, Naran S, Bethwaite P, Kenwright D. Fine needle aspiration cytology of unsuspected metastatic primitive neuroectodermal tumour (PNET): a case report. *N Z J Med Lab Sci* 2012; 66(3): 74-77.

Lallu S, Naran S, Bethwaite P, Kenwright D. Fine needle aspiration of a translocation/TFE3 fusion renal cell carcinoma metastatic to the liver: a case report. *N Z J Med Lab Sci* 2014; 68(1): 24-27.

- Yin Y, Lloyd R. Metastatic melanoma – a case report of a rare cyto-morphic variant in fine needle aspiration specimen. *N Z J Med Lab Sci* 2014; 68(1): 28-30.
- Naran S, Lallu S, Bethwaite P. Fine needle aspiration cytology of chromophobe renal cell carcinoma. A report of two cases. *N Z J Med Lab Sci* 2014; 68(2): 62-64.
- Lallu S, Naran S, Bethwaite P. House dust mites in urine. Spurious finding in two cases. *N Z J Med Lab Sci* 2014; 68(3): 91-93.
- Lallu S, Naran S, Bethwaite P. Bronchial cytologic diagnosis of adenoid cystic carcinoma of the breast metastatic to the lung: a case report. *N Z J Med Lab Sci* 2014; 69(3): 90-92.
- Banihani SA, Alawneh RF, Abu-Awad A. Human semen cryopreservation reduces the seminal antioxidant reservoir. *N Z J Med Lab Sci* 2016; 70(1): 3-6.
- Lallu S, Naran S, Koleda C. Fine needle aspiration cytology of an unusual case of papillary thyroid carcinoma metastatic to the breast. A case study. *N Z J Med Lab Sci* 2016; 70(2): 67-70.
- Lallu S, Naran S, Bethwaite P. Fine needle aspiration cytology of mammary analogue secretory carcinoma of the parotid. A case study. *N Z J Med Lab Sci* 2018; 72: 22-25.
- Lallu S, Naran S, Bethwaite P. Fine needle aspiration cytology of pulmonary papillary adeno-carcinoma mimicking papillary thyroid carcinoma. *N Z J Med Lab Sci* 2018; 72: 107-110.

IMMUNOLOGY AND SEROLOGY

- Dawkins BF. A survey of red cell indicator systems for the Staphylococcal anti-alpha-haemolysin test. *N Z J Med Lab Technol* 1964; 18(2): 55-60.
- Dawkins BF. A micro drop technique for the titration of anti-streptolysin O in human serum. *N Z J Med Lab Technol* 1964; 18(3): 115-118.
- Shott HCW. The hydatid haemagglutination test and allied techniques. *N Z J Med Lab Technol* 1965; 19(2): 66-70.
- Monteith J. Some experiences with a rapid slide test for glandular fever. *N Z J Med Lab Technol* 1966; 20(3): 121-123.
- Beggs WA. Fluorescent treponemal antibody testing. *N Z J Med Lab Technol* 1967; 21(2): 88-93.
- McCarthy MD. Streptococcal antihyaluronidase titre method and results compared with streptococcal antistreptolysin titre. *N Z J Med Lab Technol* 1968; 22(1): 2-5.
- Beggs WA. The indirect fluorescent antibody test for the detection of toxoplasma antibodies. *N Z J Med Lab Technol* 1970; 24(1): 2-8.
- Mundt H. A comparison between the anti-alpha haemolysin and anti-leucocystin tests for the detection of staphylococcal antibodies. *N Z J Med Lab Technol* 1970; 24(2): 102-108.
- Manning JD, Boyack MM. A toxoplasma haemagglutination test and its correlation with the dye and complement fixation tests. *N Z J Med Lab Technol* 1971; 25(2): 35-39.
- Lockwood BM. Preserved horse cells for the Paul Bunnell test. *N Z J Med Lab Technol* 1971; 25(3): 98.
- Gratten MJ. Hepatitis associated antigen: a current comment on the infectivity of clinical material. *N Z J Med Lab Technol* 1972; 26(1): 12-13.
- McKay EJ. A micro-modification of a method for detection of Streptococcal anti-hyaluronidase. *N Z J Med Lab Technol* 1972; 26(1): 26-27.
- White AE. A review of the association between Australia antigen and hepatitis. *N Z J Med Lab Technol* 1972; 26(2): 50-54.
- Gratten MJ. Hepatitis associated antigen in control sera. *N Z J Med Lab Technol* 1972; 26(2): 71.
- McKay EJ. The micro TPHA: a comparison with other serological tests for syphilis. *N Z J Med Lab Technol* 1972; 26(3): 102-106.
- Gratten MJ. Serological studies in pigeon fanciers. *N Z J Med Lab Technol* 1972; 27(1): 13-15.
- Gratten MJ, McConnell DS, Walker JA, Entwistle SW. A preliminary evaluation of a latex test for hepatitis-associated antigen. *N Z J Med Lab Technol* 1973; 27(1): 20-22.
- Boveington CM. The incidence of hepatitis associated antigen in the Waikato. *N Z J Med Lab Technol* 1973; 27(2): 59-61.
- Fischman A. Hydatid serology in pigeon fanciers. *N Z J Med Lab Technol* 1973; 27(2): 77.
- McKay EJ, Christie BA. A micro immunoassay method for measuring luteinizing hormone and low levels of human chorionic gonadotrophin. *N Z J Med Lab Technol* 1974; 28(2): 39-42.
- Killip M. A test for detection and determination of low levels of HCG and LH. *N Z J Med Lab Technol* 1974; 28(2): 49-50.
- Gratten MJ, Young S. Hepatitis-associated antigen contamination in syphilis serology control sera. *N Z J Med Lab Technol* 1974; 28(3): 91-92.
- Gratten MJ, Young S. Hepatitis B antigen methodology. *N Z J Med Lab Technol* 1974; 28(3): 94-95.
- Wilson JD. Immunological tests in the diagnosis of cancer. *N Z J Med Lab Technol* 1975; 29(1): 23-26.
- Fischman A. Syphilis reference and quality control. *N Z J Med Lab Technol* 1975; 29(2): 67-69.

Anderson A, Booth P, McLoughlin K, Skidmore P, Ford D. A micro-method for reversed passive haemagglutination to detect HB_sAg. *N Z J Med Lab Technol* 1975; 29(3): 103-104.

Young SA. Evaluation of a serum latex pregnancy test. *N Z J Med Lab Technol* 1978; 32(1): 14-17.

Anderson RAN. A new haemagglutination test for hepatitis B antibody. *N Z J Med Lab Technol* 1979; 33(2): 52-53.

Allan RD. A micromethod for measuring human chorionic gonadotropins in urine. *N Z J Med Lab Technol* 1979; 33(2): 53-54.

Cleary TA, Milligan LM. Hb_sAg and anti-Hb_s found in laboratory and ancillary staff. *N Z J Med Lab Technol* 1980; 34(2): 47-48.

Anderson RAM. An inexpensive radioimmunoassay for hepatitis B antigen detection. *N Z J Med Lab Technol* 1982; 36(2): 30-31.

Henwood AF. Crossreactivity in immunoperoxidase – human placental lactogen and the pituitary. *N Z J Med Lab Technol* 1983; 37(2): 29-31.

Anderson RAM. Micro modification of a syphilis haemagglutination test for blood donor screening. *N Z J Med Lab Technol* 1983; 37(2): 35.

Dempster R. The toxoplasma indirect haemagglutination test: a review. *N Z J Med Lab Technol* 1984; 38(2): 36-38.

Cursons RTM, Cepulis S. The prevalence of Toxoplasma antibodies among children in Hamilton. *N Z J Med Lab Technol* 1985; 39(1): 8-9.

Rowlands D, Milligan LM. Frequency of hepatitis (B) antibody in Otago. *N Z J Med Lab Technol* 1985; 39(4): 160-161.

Henry SM. Polyvinylpyrrolidone as a substitute for bovine serum albumin in microplate work. *N Z J Med Lab Technol* 1985; 39(4): 161.

Naicker GW, Cursons RTM. Group A streptococcal antibody titres in adults. *N Z J Med Lab Technol* 1986; 40(1): 5-6.

Bettelheim KA, Pearce JL. Problems observed with the 1983 and 1985 proficiency testing programmes in Leptospirosis testing. *N Z J Med Lab Technol* 1986; 40(1): 6-7.

Anderson RA, Ramirez AM, Steed IW, Woodfield DG. A review of the hepatitis antigen proficiency survey (HAPS). *N Z J Med Lab Technol* 1986; 40(1): 8-9.

Martin DR, Brady H. The anti-streptolysin O test – surveillance of current laboratory practice in New Zealand. *N Z J Med Lab Technol* 1986; 40(4): 160-162.

Steed IW, Anderson RAM, Austin PM. An inexpensive enzyme linked immunosorbent assay for the detection of hepatitis B surface antigen. *N Z J Med Lab Technol* 1987; 41(1): 8-9.

Benny AG, Lints R, Henry SM. A simple standardised method for the preparation of Fab fragments of rabbit immunoglobulin G. *N Z J Med Lab Technol* 1987; 41(2): 38-39.

Austin PM, Steed IW. Comparison of the relative specificities of six enzyme immunosorbent assays for HIV-1 antibody detection. *N Z J Med Lab Technol* 1987; 41(2): 44, 47.

Austin PM, Steed IW. An evaluation of three commercial anti-HBc detection assays. *N Z J Med Lab Technol* 1988; 42(2): 40-42.

Austin PM, Steed IW. A comparison of first and second generation EIA methodology for determination of antibody to human immunodeficiency virus-1. *N Z J Med Lab Technol* 1988; 42(4): 116-119.

Austin PM, Steed IW, Richards HL. The inexpensive enzyme linked immunosorbent assay for the detection of hepatitis B surface antigen (HB_sAg) [Letter]. *N Z J Med Lab Technol* 1988; 42(4): 142.

Austin PM, Steed IW. The evolution and performance of a modified anti-HBc IgM detection method. *N Z J Med Lab Technol* 1989; 43(2): 44, 49-50.

Parmar RKM, Koroivueta J, Shandil S, Mataika JU. A study of rubella immunity in Suva and Nausori area. *N Z J Med Lab Technol* 1989; 43(2): 56-57.

Chamley LW, McKay EJ. Antiphospholipid antibodies: clinical and laboratory features of a unique family of autoantibodies. *N Z J Med Lab Sci* 1994; 48(1): 6-12.

Shinn TK. Comparison of the RELISA® ENA multi-parameter antibody screening test kit and INNO—LIA ANA Update kit for detection of antibodies to extractable nuclear antigens. *N Z J Med Lab Sci* 2002; 56(3): 70-71.

Austin PM. Comparative sensitivities and specificities of two rapid HbsAg methods and their relationship to a third generation commercial enzyme immunoassay. *N Z J Med Lab Sci* 2005; 59(2): 38-40.

Siebers R, Wickens K, Crane J. House dust mite allergens and allergic diseases – the Wellington Asthma Research Group studies. *N Z J Med Lab Sci* 2006; 60(2): 49-58.

Austin PM, Thompson HT, Brown AR. Performance of the BMD FIDID™ Connective 10® ENA luminex method in external quality assurance proficiency programmes in a diagnostic laboratory setting. *N Z J Med Lab Sci* 2012; 66(1): 8-13.

Austin PM, McCarthy SM, Faiva-Thompson HT. Diffuse fine speckled (DFS70) antibody in ANA testing: identification and proposed management in a New Zealand tertiary hospital setting. *N Z J Med Lab Sci* 2017; 71(3): 113-119.

INSTRUMENTATION AND EQUIPMENT

- Curtis PH. A simple non-return valve. *J N Z Assoc Bact* 1946; 1(3): 38-39.
- Curtis PH. A simple counting box for milk and waters. *J N Z Assoc Bact* 1949; 4(2): 17-19.
- Williamson KI. The electron microscope. *J N Z Assoc Bact* 1950; 5(2): 38-41.
- Samuel JA. A steamer for controlled temperatures below 100°C. *J N Z Assoc Bact* 1953; 8(2): 17-21.
- Bergersen FJ, Watt MN. Use of the phase contrast microscope. *J N Z Assoc Bact* 1953; 8(3): 59-60.
- McHardy RC. The development of the modern microscope. *J N Z Assoc Bact* 1960; 15(2): 27-35.
- Adamson DH. Containers for gummed labels. *J N Z Inst Med Lab Technol* 1962; 16(3): 55-56.
- Orchard IR. Photomicrography with standard laboratory equipment. *N Z J Med Lab Technol* 1963; 17(3): 92-96.
- Jobst R. The completion of 120 years in the manufacture of optical instruments. *N Z J Med Lab Technol* 1967; 21(1): 32-35.
- Whillans D. Automation – a look into the future. *N Z J Med Lab Technol* 1968; 22(3): 149-156.
- McIver D. Colorimetry. *N Z J Med Lab Technol* 1969; 23(1): 27-31.
- Allen RD. Collection of capillary blood samples. *N Z J Med Lab Technol* 1970; 24(1): 27.
- Curtis PH. Capillary blood samples [Letter]. *N Z J Med Lab Technol* 1970; 24(2): 76.
- Doppleganger. Sealing chromatography tanks. *N Z J Med Lab Technol* 1971; 25(2): 49.
- Powell J. A vertical shaker for Brown cuvettes. *N Z J Med Lab Technol* 1972; 26(2): 69.
- McArthur DA. Scanning accessory for Unicam SP800 recording spectrophotometer. *N Z J Med Lab Technol* 1972; 26(3): 115-116.
- Powel J. Polymerised silicon oil in Autoanalyser I heating baths. *N Z J Med Lab Technol* 1974; 28(3): 93-94.
- Koreman MH. A newly-devised cylinder for rapid measurement and sampling of 24-hour urine collections. *N Z J Med Lab Technol* 1975; 29(3): 104-105.
- Walmsley TA. A simple modification to improve the performance of an AAI colorimeter. *N Z J Med Lab Technol* 1978; 32(1): 20-22.
- Potter H. Evaluation of a domestic electric cook pot as a constant temperature heat source for laboratory purposes. *N Z J Med Lab Technol* 1978; 32(3): 107-108.
- Newton JD. A solid state relay for use in Technicon or other fixed temperature heating module. *N Z J Med Lab Technol* 1979; 33(1): 8-11.
- Lever M, Munster DJ, Desmond FB. Preliminary survey of instrument calibration in New Zealand clinical laboratories. *N Z J Med Lab Technol* 1979; 33(2): 36-40.
- Samuel JA. The Suva steamer: an example of alternative technology. *N Z J Med Lab Technol* 1980; 34(1): 19-20.
- Killip M. A simple method for the calibration of autoclave temperature probes. *N Z J Med Lab Technol* 1982; 36(1): 11.
- Siebers R, Clark R, Harrison L. Technical evaluation of the Shimadzu micro-flow spectrophotometer CL-720. *N Z J Med Lab Technol* 1982; 36(3): 54-55.
- Milligan L, Kerr H, Foley L. An economical quick thaw cryoprecipitate shaking bath. *N Z J Med Lab Technol* 1982; 36(5): 121.
- Milligan L, Knight A, Kerr H, Harvey R. A simple economical platelet rotator. *NZ J Med Lab Technol* 1982; 36(5): 121.
- Milligan L, Knight A, Kerr H, Harvey R. A simple economical platelet rotator. A modification. *NZ J Med Lab Technol* 1983; 37(2): 38.
- Siebers RWL, Maling TJB. Positive displacement pipetting of packed erythrocytes – evaluation of the SMI Digitron. *N Z J Med Lab Technol* 1986; 40(2): 56.

HEALTH AND SAFETY

- Booth PB. Hepatitis associated antigen and laboratory precautions. *N Z J Med Lab Technol* 1972; 26(1): 14-15.
- Milligan LM, Faed JM. A centrifuge accident: a safety report. *N Z J Med Lab Technol* 1984; 38(4): 114-116.
- Goldwater PN. Prevention of needle stick accidents. *N Z J Med Lab Technol* 1985; 39(4): 169.
- Wilson W. The case for vaccination for hepatitis B for New Zealand laboratory workers. *N Z J Med Lab Technol* 1985; 39(4): 180-181.
- Nixon AD. Centrifuge accident report. Heraeus Christ centrifuge – Haemofuge A serial no. 118511. *N Z J Med Lab Technol* 1986; 40(3): 146, 149.
- Parker J. Safety in N.Z. medical laboratories – a survey. *N Z J Med Lab Technol* 1987; 41(2): 40-42.
- Harrison G. Safety report. Explosion involving liquid N₂ and a thermos flask (brand: Thermos). *N Z J Med Lab Technol* 1988; 42(1): 23.
- Eales MM. Spooky – a freak laboratory accident. *N Z J Med Lab Technol* 1989; 43(1): 22.
- Milne AS, Hopkirk N. Hepatitis B control in Oceania. *N Z J Med Lab Sci* 1995; 49(1): 4-7.

- Björkstén MG, Jansson ES. Laboratory work, pipetting and musculoskeletal ailments. *N Z J Med Lab Sci* 1997; 51(1): 12-13.
- Pickford A. Safe use of glutaraldehyde [Letter]. *N Z J Med Lab Sci* 1998; 52(1): 9.
- Tarlo SM. Asthma in medical laboratory workers. *N Z J Med Lab Sci* 2001; 55(2): 34-35.
- Purdie GL, Purdie DJ, Harrison AA. Raynoud's phenomenon and other serious health risks from laboratory work with solvents. *N Z J Med Lab Sci* 2011; 65(3): 75-76.
- Olandeinde BH, Ekejindu IM, Omoregie R, Ikpomwonosa O. Uptake of HIV, HBV and HCV testing services among medical laboratory scientists in Nigeria. *N Z J Med Lab Sci* 2014; 68(2): 55-60.
- Appleyard LR. Breastfeeding reduces procedural pain in infants: a review of the literature. *N Z J Med Lab Sci* 2014; 68(3): 88-89.
-

EDUCATION

- Bridger R. The future of the bacteriologist in New Zealand. *J N Z Assoc Bact* 1947; 2(3): 29-31.
- Bridger J. A voice for reform. *J N Z Assoc Bact* 1951; 6(1): 8-10.
- Kennedy R. Programmes of technical training by the laboratory services of the Auckland Hospital Board in 1962. *J N Z Inst Med Lab Technol* 1962; 16(3): 57-68.
- Grey MJ. The last twelve years. *N Z J Med Lab Technol* 1963; 17(3): 97-102.
- Kennedy RT. Suggestions for the improvement of the conduct of written examinations. *N Z J Med Lab Technol* 1968; 22(2): 92-96.
- Braidwood JL. Examination papers. *N Z J Med Lab Technol* 1969; 23(1): 24-26.
- Saal JR. A changing scene in medical laboratory technology. *N Z J Med Lab Technol* 1969; 23(3): 106-110.
- Kennedy RT. Some comments on the education of medical laboratory technologists in New Zealand. *N Z J Med Lab Technol* 1975; 29(1): 8-14.
- Fitchett M. P.D. and how it concerns you. *N Z J Med Lab Technol* 1977; 31(1): 17-18.
- Parker J. Predictors of N.Z.C.S. success. *N Z J Med Lab Technol* 1982; 36(3): 60-66.
- Saminathan R. Medical laboratory technologists and continuing education. *N Z J Med Lab Technol* 1982; 36(5): 118-119.
- Walmsley TA. Revision series in biochemical calculations. Section I: units. *N Z J Med Lab Technol* 1984; 38(2): 43-44.
- Walmsley TA. Revision series in biochemical calculations. Section II: molecular weights. *N Z J Med Lab Technol* 1984; 38(3): 82-91.
- Sorenson M. A voice from the wilderness. *N Z J Med Lab Technol* 1984; 38(4): 123-124.
- Walmsley TA. Revision series in biochemical calculations. Section III: pH calculations part A – strong acids and bases. *N Z J Med Lab Technol* 1984; 38(4): 124-125.
- Walmsley TA. Revision series in biochemical calculations. Section IV: pH calculations part B – weak acids and bases. *N Z J Med Lab Technol* 1985; 39(1): 18-20.
- Walmsley TA. Revision series in biochemical calculations. Section V: pH calculations part C – buffer solutions. *N Z J Med Lab Technol* 1985; 39(2): 71-78.
- Siebers RWL, Benjamins HEE. Medical laboratory technology training in the Netherlands. *N Z J Med Lab Technol* 1987; 41(2): 48, 53.
- Taylor DM. The National Diploma in Medical Laboratory Science. *N Z J Med Lab Technol* 1989; 43(2): 94-96.
- Norman E. A degree in medical laboratory science - passport to the future. *N Z J Med Lab Sci* 1992; 46(1): 4.
- Cooke A, McLeay G. Medical laboratory science – towards the 21st century. *N Z J Med Lab Sci* 1993; 47(3): 86-87.
- Nelson J, Gainsford S. A report on the National Diploma of Medical Laboratory Science survey. *N Z J Med Lab Sci* 1994; 48(1): 37-38.
- Gainsford S. A report on the Bachelor of Medical Laboratory Science 4th year evaluation. *N Z J Med Lab Sci* 1995; 49(1): 26-27.
- Kendrick C, Nulsen M. Fourth year BMLS students and their clinical training year. *N Z J Med Lab Sci* 1995; 49(2): 87.
- Lovell-Smith C, Schwartz P. Towards 2001: teaching or learning? *N Z J Med Lab Sci* 1996; 50(3): 88-89.
- Geddes R. Does training in science and technology need the “university” cachet? *N Z J Med Lab Sci* 1997; 51(3): 90-91.
- Bevan M. Part two of becoming a Fellow, the treatise. *N Z J Med Lab Sci* 2000; 54(2): 44-45.
- Perry HE, Henriques PR. A social audit of BMLS clinical experience. *N Z J Med Lab Sci* 2001; 55(1): 3-4.
- Knight C. A new graduate's experience: the challenges and advantages. *N Z J Med Lab Sci* 2008; 62(1): 10-11.
-

PROFESSIONAL AFFAIRS

- Sefton L. The hospital bacteriologist. *J N Z Assoc Bact* 1954; 9(3): 53-57.
- Jenner M. Staffing problems in district laboratories. *J N Z Assoc Bact* 1958; 13(2): 40-42.
- Mattingly J. Salary survey. Analysis of questionnaire sent to qualified technologists in July, 1966. *N Z J Med Lab Technol* 1967; 21(1): 18-22.
- Norman E, McLeod P, Tapper B. Publicity, promotions and medical laboratory technology. *N Z J Med Lab Technol* 1990; 44(3): 73-74.
- Gainsford S, NZIMLS Special Interest Groups. *N Z J Med Lab Sci* 1994; 48(2): 54-55.
- McLeod P. Responsibility and accountability of the medical laboratory scientist. *N Z J Med Lab Sci* 1994; 48(4): 181-182.
- Brennan L. An evaluation of the Maintenance of Laboratory Professional Standards (MOLS) pilot programme. *N Z J Med Lab Sci* 2000; 54(2): 49-56.
- Broad G. Continuing professional development (CPD). *N Z J Med Lab Sci* 2002; 56(2): 64-65.
- Kendrick CJ. The NZIMLS continuing professional development programme. *N Z J Med Lab Sci* 2002; 56(2): 66-67.
- Kendrick C. CPD program – a report on the review. *N Z J Med Lab Sci* 2002; 56(3): 23-24.
- Siebers R, Buchanan A, Hewett R. Performance of the NZIMLS and the services it provides. Results from a questionnaire. *N Z J Med Lab Sci* 2006; 60(3): 102-105.
- Legge M. The clinical scientist in diagnostic pathology. *N Z J Med Lab Sci* 2010; 64(2): 35-37.
- Siebers R, Hewett R. The New Zealand Institute of Medical Laboratory Science and the services it provides. How well does it perform? *N Z J Med Lab Sci* 2011; 65(3): 89-91. [Erratum in: *N Z J Med Lab Sci* 2012; 66(1); 23.]
- Tozer S. Registration/APC vs NZIMLS/CPD. *N Z J Med Lab Sci* 2012; 66(3): 82-83.
-

HISTORY

- Adamson DH. The jubilee of the Pathology Department, Christchurch Hospital. *N Z J Med Lab Technol* 1963; 17(1): 33.
- Snook DB. The history of blood transfusion. *N Z J Med Lab Technol* 1966; 20(1): 19-22.
- Whillans D. In the beginning: birth of a scientific journal. *N Z J Med Lab Technol* 1966; 20(2): 85.
- Buxton ELF. Laboratory reminiscences. *N Z J Med Lab Technol* 1973; 27(3): 100-103.
- Fischman A. From serology to immunology – history of a laboratory. *N Z J Med Lab Technol* 1974; 28(2): 46-49.
- Meads GDC, Ivor W, Saunders 1902-1978. *N Z J Med Lab Technol* 1979; 33(3): 90-92.
- Samuel JA. Reminiscences. *N Z J Med Lab Technol* 1980; 34(3): 91-93.
- Grey MJ. Silver jubilee of the Auckland Hospital School of Medical Laboratory Technology. *N Z J Med Lab Technol* 1986; 40(4): 164-165.
- Fatouris M. The history of blood gas. *N Z J Med Lab Sci* 1994; 48(4): 210-211.
- Paterson A, Campbell P, Shepherd S. Formation of the professional body. *N Z J Med Lab Sci* 1996; 50(4): 135.
- Paterson A, Campbell P, Shepherd S. Names & logos. *N Z J Med Lab Sci* 1996; 50(4): 136-137.
- Paterson A, Campbell P, Shepherd S. Objectives. *N Z J Med Lab Sci* 1996; 50(4): 138.
- Paterson A, Campbell P, Shepherd S. Mission, purpose & code of ethics. *N Z J Med Lab Sci* 1996; 50(4): 139.
- Paterson A, Campbell P, Shepherd S. Structure of the Institute. *N Z J Med Lab Sci* 1996; 50(4): 140-141.
- Paterson A, Campbell P, Shepherd S. 50 Years of service. *N Z J Med Lab Sci* 1996; 50(4): 142-145.
- Paterson A, Campbell P, Shepherd S. Past presidents. *N Z J Med Lab Sci* 1996; 50(4): 146-148.
- Paterson A, Campbell P, Shepherd S. Membership. *N Z J Med Lab Sci* 1996; 50(4): 149-152.
- Paterson A, Campbell P, Shepherd S. Honoraria. *N Z J Med Lab Sci* 1996; 50(4): 153.
- Paterson A, Campbell P, Shepherd S. Secretariat. *N Z J Med Lab Sci* 1996; 50(4): 154.
- Paterson A. Branches. *N Z J Med Lab Sci* 1996; 50(4): 155-156.
- Gainsford S. Special Interest Groups. *N Z J Med Lab Sci* 1996; 50(4): 157.
- Sloan J, Philip D, Smith F. Laboratory animal tests. *N Z J Med Lab Sci* 1996; 50(4): 158-159.
- McKay J. Immunology. *N Z J Med Lab Sci* 1996; 50(4): 160-161.
- Green C. Cytology. *N Z J Med Lab Sci* 1996; 50(4): 162-163.
- Patterson R, Early I. *N Z J Med Lab Sci Histology*. 1996; 50(4): 164-165.
- Pinder L. Transfusion science. *N Z J Med Lab Sci* 1996; 50(4): 166-167.
- Nixon B, Anderson R. Haematology. *N Z J Med Lab Sci* 1996; 50(4): 168-169.

Cameron G. Microbiology. *N Z J Med Lab Sci* 1996; 50(4): 170-171.
Buchanan A. Biochemistry. *N Z J Med Lab Sci* 1996; 50(4): 172-174.
Paterson A. Conference. *N Z J Med Lab Sci* 1996; 50(4): 175-182.
Paterson A. I.A.M.L.T. (International Association of Medical Laboratory Technology). *N Z J Med Lab Sci* 1996; 50(4):183
Siebers R. T.H. Pullar Address. *N Z J Med Lab Sci* 1996; 50(4): 184-185.
Paterson A. South Island Seminar. *N Z J Med Lab Sci* 1996; 50(4): 186-187.
Rose G. Journal. *N Z J Med Lab Sci* 1996; 50(4): 188-194.
Campbell C, Paterson A. Education. *N Z J Med Lab Sci* 1996; 50(4): 195-203.
Philip D, Robertshaw H. Registration & the Medical Laboratory Technologists' Board. *N Z J Med Lab Sci* 1996; 50(4): 204-216.
Grey J, McLeay G. Auckland School of Medical Laboratory Technology. *N Z J Med Lab Sci* 1996; 50(4): 218-219.
Paterson A. Awards. *N Z J Med Lab Sci* 1996; 50(4): 221-222.
Rollinson T. Fellowship. *N Z J Med Lab Sci* 1996; 50(4): 223-224.
Paterson A. Life Membership. *N Z J Med Lab Sci* 1996; 50(4): 225-226.
Paterson A. Honorary Members. *N Z J Med Lab Sci* 1996; 50(4): 227.
Schollum K, Gainsford S. Laboratory assistants. *N Z J Med Lab Sci* 1996; 50(4): 228-231.
Campbell C. Industrial relations. *N Z J Med Lab Sci* 1996; 50(4): 232-240.
Bluck R. Health & safety. *N Z J Med Lab Sci* 1996; 50(4): 241-242.
Gainsford S, Paterson A. Evolution of laboratory services in New Zealand. *N Z J Med Lab Sci* 1996; 50(4): 243-246.
Chisnall W, Kennedy R. Computerisation & laboratories. *N Z J Med Lab Sci* 1996; 50(4): 247.
Sowden R, Hewett R. The changing role between commerce & the profession. *N Z J Med Lab Sci* 1996; 50(4): 248.
Walker G. Laboratory accreditation – Telarc. *N Z J Med Lab Sci* 1996; 50(4): 249.
Campbell C. Medical Laboratory Science Trust. *N Z J Med Lab Sci* 1996; 50(4): 250.
MacKenzie R, Lynch M. P.P.T.C. (Pacific Paramedical Training Centre). *N Z J Med Lab Sci* 1996; 50(4): 251.
Mackenzie R. New Zealand surgical teams (Columba Plan). *N Z J Med Lab Sci* 1996; 50(4): 252.
Stephenson E. Biochemistry in paradise. *N Z J Med Lab Sci* 1998; 52(4): 109.
Mackenzie R. New Zealand development assistance to the health laboratory service in Binh Dinh Province, Vietnam. *N Z J Med Lab Sci* 1999; 53(3): 87.
Legge M. A retrospective look at clinical biochemistry in 1957. *N Z J Med Lab Sci* 2016; 70(3): 114-116.

MULTIDISCIPLINARY

George GR. The simplification of laboratory methods by the use of propriety products. *N Z J Med Lab Technol* 1968; 22(2): 88-91.
Fisher MT. A survey at Ruatahuna. *N Z J Med Lab Technol* 1968; 22(3): 157-160.
Couchman KG. The cusum technique in quality control. *N Z J Med Lab Technol* 1970; 24(1): 14-16.
Gratten MJ. Bird fanciers' lung. *N Z J Med Lab Technol* 1970; 24(2): 117-122.
Wilson AG. The nationwide clinical laboratory computer system. *N Z J Med Lab Technol* 1978; 32(1): 22-28.
McLeod P. Report of the National Council of the N.Z. Institute of Medical Laboratory Technology on extra laboratory testing in N.Z. public hospitals. *N Z J Med Lab Technol* 1986; 40(3): 145.
Cooper KF. A report on the TELARC survey of QC programmes for medical laboratories. *NZ J Med Lab Technol* 1987; 41(3): 78, 81-83.
Verkaaik GR, O'Hanlon PK. Rationale for and development of a data management system for smaller laboratories using networked micro-computers. *N Z J Med Lab Technol* 1988; 42(1): 4-5.
Parker J. Specimen errors – a chapter of accidents. *N Z J Med Lab Technol* 1988; 42(4): 113-115.
Hurst PL. Using the correlation coefficient in the determination of reference intervals. *N Z J Med Lab Technol* 1989; 43(3): 68, 77-78.
Siebers RWL. Effect of race on laboratory parameters. A review of the New Zealand data. *N Z J Med Lab Sci* 1991; 45(4): 112-113.
Le Grice J. Near patient testing? NPT – Non professional testing? Non patient testing? *N Z J Med Lab Sci* 1993; 47(2): 52-53.
Siebers RWL, Lynch N, MacKenzie R. A random survey of laboratory scientists' practices, attitudes and concerns regarding biological specimen handling in New Zealand in relation to HIV/AIDS. *N Z J Med Lab Sci* 1993; 47(2): 55-57.
Siebers R, Lynch M, Kendrick C, Watts C. AIDS/HIV knowledge of medical laboratory science students at Massey and Otago Universities. *N Z J Med Lab Sci* 1994; 48(4): 174-177.

- Siebers RWL, Lynch M, Singh KP. Relationship between AIDS/HIV knowledge, and attitudes, concerns and practices of medical laboratory technologists in Fiji. *N Z J Med Lab Sci* 1995; 49(1): 19-21.
- Craighead L, Watts M. Alternative site testing: a solution for the isolated country hospital. *N Z J Med Lab Sci* 1998; 52(4): 83-84.
- Sutton G. Coeliac disease: testing the New Zealand iceberg. *N Z J Med Lab Sci* 2000; 54(2): 46-48.
- Elliot J, Murphy C, Lakshman T, Wakem P, Story C, Siebers R, Lynch M, Mackenzie R. A quality assurance programme for health laboratories in the South Pacific. *N Z J Med Lab Sci* 2002; 56(3): 65-68.
- Hoy BA. The hidden diagnosis – a case study. *N Z J Med Lab Sci* 2006; 60(3): 97-98.
- Blattner K, Ward C. Point of care testing in Hokianga Hospital or 'How to get a good night's sleep in a lab-free zone'. *N Z J Med Lab Sci* 2011; 65(2): 39-41.
- Lippi G, Matiuizi C, Favaloro EJ. Pre-analytical variability and quality of diagnostic testing. Looking at the moon and gazing beyond the finger. *N Z J Med Lab Sci* 2015; 69(1): 4-8.
-

MANAGEMENT

- Kennedy RT. Laboratory workload recording system for use in manpower planning. *N Z J Med Lab Technol* 1975; 29(1): 2-7.
- Adamson DH. A system for stock records. *N Z J Med Lab Technol* 1976; 30(1): 27-28.
- Fitchett M. The effect of an informal group on the operation of an SMA 12/60. *N Z J Med Lab Technol* 1976; 30(3): 97-101.
- Powell J. Comments on productivity issues. *N Z J Med Lab Technol* 1976; 30(3): 102-103.
- Paine NC. An alternative work programme for a medical laboratory. *N Z J Med Lab Technol* 1977; 31(1): 18-20.
- Kennedy RT. The rising laboratory workload. A critical appraisal of cause and effect. *N Z J Med Lab Technol* 1977; 31(3): 52-64.
- Hablous MJ. An approach to the cost evaluation of discrete analysers. *N Z J Med Lab Technol* 1980; 34(1): 1-7.
- Parker JE. Balancing the quality control budget. *N Z J Med Lab Technol* 1980; 34(1): 14-15.
- Parker J. Staff selection: intuition or assessment? *N Z J Med Lab Technol* 1980; 34(2): 43-46.
- Parker J. Introducing the new employee to their job. *N Z J Med Lab Technol* 1982; 36(1): 12-13.
- Parker J. Are you receiving me? *N Z J Med Lab Technol* 1982; 36(2): 37-39.
- Elkin GR. Performance appraisal – a realistic approach for medical laboratory technologists. *N Z J Med Lab Technol* 1988; 42(4): 108-112.
- Barker AN. Management in the laboratory – who's role is it? – a personal view. *N Z J Med Lab Technol* 1989; 43(1): 4-5.
- Norman EPS, Ensor RW, Lawton L. Resource utilization system (RUS) and the laboratory. *N Z J Med Lab Technol* 1989; 43(1): 8-9.
- Walmsley T. Jobs scheduling program – a computerised preventative maintenance system. *N Z J Med Lab Technol* 1992; 46(4): 128-129.
- Carter M. Waste management practices: a survey of New Zealand medical laboratories. *N Z J Med Lab Technol* 1994; 48(2): 62-66.
- Goodman GT. Options for funding private laboratory services: an attempt to curb cost escalation in the provision of private laboratory services. *N Z J Med Lab Technol* 1995; 49(1): 22-26.
- Lutua B. Better human relations – better services. *N Z J Med Lab Technol* 1997; 51(4): 135-136.
- Mok D, Ang E. ISO 15189:2012 implementation: an update of related international standards and guidance documents for medical laboratory quality management. *N Z J Med Lab Sci* 2016; 70(2): 42-66.
- Mok D. ISO 15189:2012 implementation checklists for conformity assessment by accreditation bodies: a comparative analysis. *N Z J Med Lab Sci* 2017; 71(3): 84-99.
- Mok D, Nabulsi R, Chowdhury S. Document review checklists for ISO 22870:2016 internal auditing: an applied tool for medical laboratories. *N Z J Med Lab Sci* 2018; 72: 59-64.
- Mok D, Nabulsi R, Chowdhury S. Conformity evaluation checklists of API 20 E for ISO 15189:2012 internal auditing: an optimisation tool for medical laboratories. *N Z J Med Lab Sci* 2018; 72: 90-95.
-

CYTOGENETICS

- Hutchings HE. Cytogenetics, a diagnostic service. *N Z J Med Lab Technol* 1973; 27(1); 2-6.
- Romain DR, Green GJ, Columbano-Green L, Smythe RH, Sullivan H. A pericentric inversion of chromosome 12 in metamorphosis of chronic granulocytic leukaemia. *N Z J Med Lab Technol* 1981; 35(1): 3-4.
- Romain DR. Quinicine banding (Q-bands) of human chromosomes. *N Z J Med Lab Technol* 1981; 35(2): 41-44.
- Romain DR. Identification of human chromosomes using G-banding techniques. *N Z J Med Lab Technol* 1981; 35(3): 69-72.

- Romain DR. Silver-staining of active nucleolar organising regions (NORs) in human chromosomes. *N Z J Med Lab Technol* 1982; 36(1): 4-8.
- Romain DR. Centromeric constitutive heterochromatic (C-bands) in the human karyotype. *N Z J Med Lab Technol* 1982; 36(2): 32-35.
- Romain DR. A technique for the demonstration of kinetochores (Cd-bands) in human chromosomes. *N Z J Med Lab Technol* 1982; 36(3): 58-60.
- Romain DR. Medical cytogenetics (a personal viewpoint). *N Z J Med Lab Technol* 1982; 36(4): 88-89.
- Romain DR. High-resolution chromosome banding. *N Z J Med Lab Technol* 1985; 39(2): 61-68.
- Cotter PD. Chromosome preparations from direct and overnight cultures of colonic adenomatous polyps. *N Z J Med Lab Sci* 1991; 45(1): 16-17.
- Mazzaschi RLP, Love DR, George A, Aftimos S. A non-mosaic ring chromosome 9 in a newborn baby referred for ambiguous genitalia: a case study. *N Z J Med Lab Sci* 2011; 65(2): 60-62.
-

MOLECULAR PATHOLOGY

- Scrimshaw BJ, Fellowes AP. Application of the polymerase chain reaction to the diagnostic laboratory. *N Z J Med Lab Sci* 1993; 47(1): 14-16.
- Hasan Q. In situ hybridization. *N Z J Med Lab Sci* 1994; 48(3): 121-126.
- Stewart AG. HLA-B27 polymorphism associated with disease in a New Zealand Population. *N Z J Med Lab Sci* 2010; 64(3): 78-84.
- Smith SM, Laurie AD, Potter HC, McGettigan BD. HLA/B27 real time PCR using TaqMan-MGB sequence specific probes. *N Z J Med Lab Sci* 2014; 68(1): 4-8.
-

MISCELLANEOUS

- Mayes K. The Enz (or is it the Beginning?). *N Z J Med Lab Technol* 1980; 34(2): 46-47.
- Norman T. Think wide: overseas aid – what can be done? *N Z J Med Lab Technol* 1983; 37(1): 12-14.
- Johns WL. A New Zealand technologist in Peru. *N Z J Med Lab Technol* 1987; 41(2): 57-58.
- Siebers R. Analysis of publications in the NZ Journal of Medical Laboratory Technology 1972 to 1987. *N Z J Med Lab Technol* 1988; 42(1): 13-14.
- Goodman GT. Maori attitudes to health: cross cultural communication considerations for health care workers. *N Z J Med Lab Technol* 1989; 43(2): 51-55.
- Austin R. How to write a journal article – a beginners guide. *N Z J Med Lab Sci* 1992; 46(3): 98.
- Sonthelmer RD, Bergstresser PR. The ABC of research grant writing: the advice of two grant reviewers. *N Z J Med Lab Sci* 1992; 46(4): 124-127.
- Siebers R, Elliot J. Abstract writing for scientific meetings. *N Z J Med Lab Sci* 1993; 47(1): 6.
- Aitken J. The health reforms and laboratory medicine. *N Z J Med Lab Sci* 1994; 48(1): 5.
- Lutua B. Technologists versus automation. *N Z J Med Lab Sci* 1994; 48(1): 48-51.
- Ellis J. How will the “new” health system serve its customers? – a Maori focus. *N Z J Med Lab Sci* 1994; 48(3): 112-114.
- Reilly D. Impact of technology on the diagnostic pathology laboratory. *N Z J Med Lab Sci* 1994; 48(3): 127-130.
- van Til F. Is there life after 40? *N Z J Med Lab Sci* 1995; 49(2): 8485.
- MacKenzie R. Looking beyond ourselves. *N Z J Med Lab Sci* 1996; 50(1): 6.
- Hewett R. The industry and the laboratory – our changing roles. *N Z J Med Lab Sci* 1996; 50(2): 46-47.
- Henry SM. Life in Sweden: a personal account from a visiting postdoctoral fellow. *N Z J Med Lab Sci* 1996; 50(2): 57-58.
- Siebers R. How to get your article published in the Journal. *N Z J Med Lab Sci* 1997; 51(2): 46-47.
- Siebers R. Accuracy of references in the New Zealand Journal of Medical Laboratory Science. *N Z J Med Lab Sci* 1999; 53(2): 46-48.
- Badrick TC, Flatman RJ. The inappropriate use of statistics. *N Z J Med Lab Sci* 1999; 53(3): 95-103.
- Siebers R. How accurate is data in abstracts of research articles? *N Z J Med Lab Sci* 2000; 54(1): 22-23.
- Albert T. Write a scientific paper – the easy way. *N Z J Med Lab Sci* 2002; 56(1): 6-8.
- Siebers R. Citation of articles in the NZ Journal of Medical Laboratory Science in international biomedical journals. *N Z J Med Lab Sci* 2002; 56(3): 72.

- Gillespie J, Siebers R, Crane J. The hygiene hypothesis: the good, the bad, and the evil – a low-down on dirt. *N Z J Med Lab Sci* 2003; 57(3): 111-115.
- Reid MR. Genesis and evolution. *N Z J Med Lab Sci* 2005; 59(3): 54-61.
- Lindberg W. Xenotransplantation and human rights. *N Z J Med Lab Sci* 2005; 59(3): 62.
- Hewett R. The future of medical laboratory science – a personal perspective of Dr Who. *N Z J Med Lab Sci* 2008; 62(3): 56-60.
- Waldon J. Cher bro': a thought that may cross your mind. *N Z J Med Lab Sci* 2010; 64(1): 6-10.
- Siebers R. How to write up a laboratory-based case study for the Journal. *N Z J Med Lab Sci* 2010; 64(1): 22-23.
- Siebers R. Which journals are citing articles from the New Zealand Journal of Medical Laboratory Science? *NZ J Med Lab Sci* 2012; 66(1): 14-17.
- Oladeinde BH, Omoregie R, Osakue EO, Onifade AA. Evaluation of laboratory request forms for incomplete data at a rural tertiary hospital in Nigeria. *NZ J Med Lab Sci* 2012; 66(2): 39-41.
- Adriaansen MJ, Perry WNC, Perry HE, Steel RC. Binary male-female laboratory reference ranges do not reflect reality for transgender individuals on sex-hormone therapy. *NZ J Med Lab Sci* 2017; 71(3): 101-105.
-